PAGE 1.

2011 Bicycle Count Report

City of San Francisco December 2011

2011 Bicycle Count Report City of San Francisco December 2011



SFMTA | Municipal Transportation Agency

Cover image: Photo of bicyclists and pedestrians on Embarcadero during a Sunday Streets event.

Image: SFMTA logo

PAGE 2.

Acknowledgements

The San Francisco Municipal Transportation Agency (SFMTA) 2011 Bicycle Count Report is a collaborative planning document developed by the Sustainable Streets Division. The effort was led by Peter Brown, Project Manager, under the direction of Timothy Papandreou, Deputy Director of Planning. This report was funded with Proposition K transportation sales tax revenues as approved by the San Francisco County Transportation Authority. The Metropolitan Transportation Commission was helpful in sharing the data from their annual regional bicycle counts and the San Francisco Bicycle Coalition provided invaluable feedback and keen photography.

Edwin M. Lee | Mayor

San Francisco Board of Supervisors

John Avalos | District 11

David Campos | District 9

David Chiu | District 3

Carmen Chu | District 4

Malia Cohen | District 10

Sean Elsbernd | District 7

Mark Farrell | District 2

Jane Kim | District 6

Eric Mar | District 1

Ross Mirkarimi | District 5

Scott Wiener | District 8

San Francisco Municipal Transportation Agency **Board of Directors**

Tom Nolan | Chairman Jerry Lee | Vice-Chairman Leona Bridges Cheryl Brinkman Malcolm Heinicke Bruce Oka

Joél Ramos

Director of Transportation

Edward Reiskin

SFMTA Sustainable Streets Staff

Bond Yee Timothy Papandreou **Darton Ito** Peter Brown Anne Fritzler

PAGE 3.

Emily Drennen Grace Lin

SFMTA Project Support

Adam Smith

Alan Uy

Bridget Smith

Damon Curtis

Fernanda Roveri

Jeff Banks

Jennifer Wong

Leslie Bienenfeld

Michael Riebe

Philip Louie

Rachel Carpenter

Ryan Dodge

Teresa Tapia

Tin Nguyen

Tyson Teesdale

Will Tabajonda

Community Volunteers

Alex Jonlin

Alvin Sarmiento

Garrett Strang

Jessica Kuo

Jordan Toy

Liza Bass


Melanie Curry

Nick Perry

SFMTA - About us

The San Francisco Municipal Transportation Agency (SFMTA) is responsible for the planning, implementation, regulation, maintenance and operation of the multimodal transportation system in the City and County of San Francisco. The city's transportation system includes transit, paratransit, streets, bicycle and pedestrian facilities, parking, traffic controls, and taxi services.

PAGE 4.



Map graphic: The MTC, SFMTA and SCFTA logos with the neighborhood south of the "Wiggle" bicycle route in the background.

PAGE 5.

Executive Summary



Image: Bicyclists on Market Street

Quote in image: "One thing is certain, more and more San Franciscans are riding bicycles every year."

In 2006, the San Francisco Municipal Transportation Agency (SFMTA) began conducting annual citywide bicycle counts to measure bicycle ridership trends. One thing is certain, more and more San Franciscans are riding bicycles every year. The increased bicycle ridership indicates a healthier city, a reduction in auto dependency, and a much needed movement towards sustainable transportation.

The bicycle counts inform bicycle planning efforts in the city, provide the data needed to evaluate the efficacy of the bicycle network, and help identify locations where additional infrastructure improvements may be needed.¹

SFMTA is committed to growing bicycle ridership, providing new infrastructure, and improving the safety of bicycling in San Francisco. This report is a key part of this commitment as it analyzes the results of the 2011 bicycle count and discusses the factors that affect the data. Count data from the city's newly installed automatic bicycle counters is also shown and the Metropolitan Transportation Commission (MTC) regional manual bicycle counts in San Francisco demonstrate an 8.5% increase over 2010, similar to the SFMTA observed 7%.


In an effort to improve accuracy and create a comparable data set, 2011 is a departure year from the methodology used since 2006. Changes were made in order to align with the bicycle counting standards set by the National Bicycle and Pedestrian Documentation Project (NBPDP).² For instance, NBPDP counts are conducted in September when schools are back in session and summer vacations have ended. San Francisco can now compare count data with nationwide cities who also conduct bicycle counts during the same time frame. Per national bicycle count methodology, count shifts were expanded from 1.5 to 2 hours during the evening peak commute time (4:30-6:30 p.m.).

Additionally, a dozen locations with little cycling activity over the past five years were not counted, and 18 new locations were added to capture "before" data for planned bicycle facilities and for popular routes such as the Golden Gate Bridge. Corridor and intersection counts better capture bicycling movements in the city than the previously used cordon count. Automated bicycle counters replaced manual counts at nine locations. These changes create a new baseline for future bicycle count efforts.

In Box: Key Findings in San Francisco Bicycling for 2011

PAGE 6.

- Since 2006 when 4,862 riders were counted, counts have increased an impressive 71% to 8,314 riders (August) and are up 7% since 2010
- A sample of 10,139 riders (September) were manually counted in the peak 90 minutes; approximately 75,000 bike trips occur each day out of 2.2 million total trips across all modes
- SFMTA survey data in 2011 indicate that 3.5% of all trips in San Francisco are made by bicycle, a 75% increase in mode share since 2000 when bicycling was 2% of daily trips
- Late September has 18% more riders than early August
- 94% of riders use bicycle facilities as designed



Manual Count Totals

	August	September
Year	Count	Count
2006	4,862	0
2007	5,504	0
2008	6,943	0
2009	7,532	0
2010	7,793	0
2011	8,314	10,139**

Caption: The count trend since 2006 during the 5:00 p.m. - 6:30 p.m. peak continues to rise.

^{*} These counts represent a sample of, not total daily ridership

^{**} Approximately 18% of the 2011 increase (shown in red) is attributed to shifting the count from early August to late September (see Appendix C).

<u>PAGE 7.</u>

Table of Contents

Section	Page	
Executive Summary	5	
2011 SFMTA Bicycle Count Results	8	
SFMTA Manual Counts	8	
SFMTA Automatic Counts	12	
Metropolitan Transportation Commission Counts	14	
Growth in San Francisco Bicycling	16	
2010 American Community Survey Results	20	
Bicyclist Behavior in San Francisco	23	
Recommendations and Conclusions	27	
Endnotes	43	
Appendices	31	
Appendix A: Bicycle Count Methodology	31	
Appendix B: Upcoming Bicycle Projects	36	
Appendix C: August to September Adjustment Ratio	39	
Appendix D: Manual Count Collection Sheet Example	41	



Image: children riding bicycles as part of the Youth Bike Program

Image: Group of bicyclists at an intersection

PAGE 8.

2011 Bicycle Count Results

SFMTA Manual Counts

The September 2011 bicycle count results are shown in the table to the right. The second column shows the raw counts for all locations between 4:30 and 6:30 p.m. The third column displays the 1.5 hours count totals from 5 to 6:30 p.m. for comparison with past years' data. The black cells are new 2011 bike count locations, the white cells are locations that have been counted since 2006.³ The manual bicycle counts were done across all movements across an entire intersection.

A consistent increase in cycling was observed at most of the manual count locations in 2011. Bicycle counts have risen from 4,862 in 2006 to 10,139 in 2011 during the 5-6:30 p.m. peak. Adjusting for the September time frame, a 71% increase has occurred in just 5 years. In just the last year, the 2011 counts at comparable locations with 2010 show a seven percent increase. In a recent "Think Bike" visit to San Francisco, Dutch bicycling experts emphasized that there is a simple reason why people are choosing to bike; riding is fun.



Image: Bicyclists on Third Street with a Muni light-rail vehicle in background

By the Numbers

- **75,000** daily bicycle riders in San Francisco, as estimated by area transportation models and mode share surveys
- 17,047 riders counted during the last two weeks of September 2011 at selected locations throughout the city.
- 13,320 riders counted during the 5:00-6:30 p.m. peak in 2011
- **10,139** riders counted at locations used between 2006-2011 in September, a 30% increase over the August 2010 counts
- **8,314** riders* are estimated had the counts occurred in early August instead of late September, a 7% increase over 2010
- 7.793 riders were counted during the 5:00-6:30 peak in 2010

<u>PAGE 9.</u>

* 8,314 is 82% of the actual September count of 10,139. See Appendix C.

Count Locations	4:30-6:30pm	5-6:30pm
11th and Howard (counted 2006-2011)	578	462
11th and Market (counted 2006-2011)	1,396	1,173
14th and Folsom (new for 2011)	346	284
14th and Market/Church (new for 2011)	500	407
16th and Mission (new for 2011)	270	217
17th and Valencia (counted 2006-2011)	1,059	862
17th/Castro and Market (new for 2011)	156	127
19th and Holloway (new for 2011)	99	76
19th and Lincoln (new for 2011)	66	55
19th Ave and Sloat (new for 2011)	61	47
2nd and Folsom (new for 2011)	241	205
2nd and Market (new for 2011)	816	654
2nd and Townsend (counted 2006-2011)	233	199
5th and Market - AM (8-9am) (counted 2006-2011)	750	-
5th and Market - MIDDAY (1-2pm) (counted 2006-2011)	226	-
5th and Market – PM (counted 2006-2011)	1,134	952
5th and Townsend (counted 2006-2011)	609	530
7th and 16 th (counted 2006-2011)	222	191
7th and Kirkham (counted 2006-2011)	98	77
7th and Lincoln (new for 2011)	68	61
8th and Townsend (counted 2006-2011)	502	432
8th Ave and Clement (new for 2011)	95	77
Broadway and Columbus (counted 2006-2011)	165	138
Broadway and Embarcadero (counted 2006-2011)	745	615
Cervantes and Marina (counted 2006-2011)	625	531
Cesar Chavez and Harrison (counted 2006-2011)	74	64
Embarcadero and Townsend (counted 2006-2011)	651	569
Fell and Scott (counted 2006-2011)	534	420
Golden Gate and Masonic (counted 2006-2011)	105	75
Golden Gate Bridge (new for 2011)	378	328
Market and Valencia (new for 2011)	1,274	1,083

PAGE 10.


Count Locations	4:30-6:30pm	5-6:30pm
McAllister and Polk (counted 2006-2011)	497	400
Mission and Cortland (new for 2011)	117	92
Mission and Ocean (new for 2011)	42	31
Page and Scott (counted 2006-2011)	1,240	1,053
Page and Stanyan (new for 2011)	138	103
Parnassus Ave (in front of UCSF) (new for 2011)	16	11
Polk and Grove (new for 2011)	373	285
Polk and Sutter (counted 2006-2011)	336	263
Portola and O'Shaughnessy ⁴ (counted 2006-2011)	30	24
San Bruno and Paul (new for 2011)	14	14
Stockton and Sutter (counted 2006-2011)	168	133
TOTAL CYCLISTS	17,047	13,320

2011 Manual Bicycle Counts by Location (4:30p.m. - 6:30p.m.)

Regardless of mode of travel, the downtown Financial District continues to be a major trip generator and the bicycle counts demonstrate this. More people are riding throughout the city, especially down Market Street, along the Wiggle and to and from the Mission. More San Franciscans are realizing it is a fast, fun, inexpensive and convenient way to move about the city.

Map: The City and County of San Francisco's arterials and Bicycle Network. The numbers listed in the 4:30-6:30pm column from the previous table are placed at their corresponding count locations around the city. Main bicycle corridors of Market Street, Mission Street and the Wiggle are marked on the map as well.

PAGE 11.



PAGE 12.

SFMTA Automatic Counts

The manual bicycle counts allow identification of bicycling trends, however, they only produce a "snapshot" of bicycling at a small number of intersections in San Francisco. In order to address the limitations of the manual counts and to provide sample data on ridership throughout the city, the SFMTA has begun installing automated bicycle counters at key locations in the bicycle network.5 Automated bicycle counters provide continuous streams of ridership data over any 24 hour period in a cost-effective manner. Automated count data for nine important intersections (some are bidirectional) during the study period are shown in the table below. Data for September 20, 2011 is more comprehensive and displays average ridership at 16 locations, including some lesser traveled routes in the graph below. It demonstrates the daily pattern of ridership, the morning peak, midday and evening lulls, and the height of the afternoon peak.

Average Peak Hour Counts in Late September 4:30 pm - 6:30 pm (9 locations)

Automatic Bicycle Counter Locations	Bicyclists
6th/7th Ave and Kirkham	64
Fell St and Divisidero	443
Lake and Arguello	72
Market and 11th/Van Ness	771
North Point and Polk	122
Panhandle and Masonic	703
Polk and Grove	133
Potrero and 23rd St	21
14th St and Valencia/Julian	530
Average	318



Image: Loop detectors in the roadway

Caption: Loop detectors installed 1-3 inches below the road surface record when a riders' wheels interrupt the electromagnetic field.

PAGE 13.



Image: Bicyclist approaching a newly installed loop detector.

Callout box: Bicycling ridership fluctuates in a typical dual-peak pattern throughout the day, similar to transit or automobile travel.




Chart: Two-Hour Automated Counts, Citywide Average (16 locations), Tuesday, September 20, 2011

Time of Day	Bicyclists
6:30 -8:30 am	135
8:30 – 10:30 am	183
10:30 am – 12:30 pm	84
12:30 – 2:30 pm	83
2:30 – 4:30 pm	100
4:30 – 6:30 pm	194
6:30 – 8:30 pm	147
8:30 – 10:30 pm	68

PAGE 14.

Automatic counter data collected from loop detectors and sent to an SFMTA database is displayed below by day of week. The highest counts of bicycle trips occur mostly during the weekdays and suggest that bicycle trips are used more for work commutes than for weekend leisure trips. The middle bars in the graph for Tuesday, Wednesday and Thursday show the steady level of ridership during the midweek that corresponds to the days the manual bicycle counts were also performed. The graph below summarizes ridership from 16 locations with automatic counters.⁷




Chart: Average Automatic Counts by Day of Week, September 2011

Day of the Week	Bicyclists
Sunday	9,666
Monday	14,730
Tuesday	15,762
Wednesday	15,679
Thursday	14,336
Friday	13,107
Saturday	11,286

MTC Regional Manual Count

The Metropolitan Transportation Commission (MTC) conducted manual bicycle counts at Bay Area intersections for 2010-2011 in accordance with NBPDP methodology. In San Francisco, MTC has conducted manual counts at nine locations from 12-2 p.m. and from 4-6 p.m. Direct comparisons between MTC and SFMTA counts are difficult given that the MTC counts were conducted during different periods of the day. However, they are shown to demonstrate trends between 2010 and 2011 and to provide coverage at intersections not counted by SFMTA. Similar to SFMTA's observed 7% increase, MTC counts show 8.5%.

MTC Manual Intersection Locations

PAGE 15.

MTC Manual	2010	2010	2010	2011	2011	2011	2010-11
Intersection	1-2 pm	4–6 pm	Total	12–2	4–6pm	Total	%
Locations				pm			Change
3rd St and	62	107	169	68	103	171	1.2%
16th St							
3rd St and	170	337	507	266	480	746	47.1%
Howard							
7th St and	173	246	419	239	317	556	32.7%
Folsom							
Baker and Fell	284	696	980	210	634	844	-13.9%
St							
Divisidero and	36	62	98	25	55	80	-18.4%
Geary							
Embarcadero	270	630	900	308	649	957	6.3%
and							
Washington							
Geneva/Phelan	63	82	145	64	75	139	-4.1%
and Ocean							
Haight and	271	715	986	317	755	1072	8.7%
Scott							
Van Ness and	45	81	126	41	90	131	4.0%
Turk							
Total	1,374	2,956	4,330	1,538	3,158	4,696	8.5%

PAGE 16.

Growth in San Francisco Bicycling

The 2011 Bicycle Count was successful in capturing a sample of bicycle use across the city and setting a new baseline for future counts by using the National Bicycle and Pedestrian Documentation Project methodology for the first time. A seven percent increase in count totals from 2010 was observed as well as a 71 percent increase since 2006. There is a clear increase in bicycle usage in San Francisco. Changes in the adjusted counts and raw counts are shown below.

The SFMTA applauds our partners at the San Francisco County Transportation Authority, the Metropolitan Transportation Commission and the San Francisco Bicycle Coalition for their dedication to funding and advocating for increased bicycle safety and usage. It is only through continued cooperation, planning, innovative engineering, public policy changes and strong leadership that San Francisco can continue to grow bicycle ridership at even higher rates in the coming decade.



Image: Mayor Ed Lee and San Francisco Bicycle Coalition Executive Director Leah Shahum enjoy the protected bikeway on Market Street.

Call-out text: Citywide bicycle counts have increased 7% since 2010 and 71% since 2006

Ricycle Count Growth 2006-2011

Manual Count Locations	2006	2007	2008	2009	2010	2011*	2006-11	2010-11
	2000	2007	2000	2007	2010	2011	Change	Change
2nd and Townsend	101	107	140	133	129	199	97%	54%
5th and Market (8-9am)	378	397	409	470	625	750	98%	20%
5th and Market (1-2pm)	156	152	163	192	194	226	45%	16%
5th and Market	468	519	615	745	796	952	103%	20%
5th and Townsend	254	266	306	325	417	530	109%	27%
7th and 16th	67	122	144	202	133	191	185%	44%
7th and Kirkham	35	45	47	54	55	77	120%	40%
8th and Townsend	167	214	264	276	281	432	159%	54%
11th and Howard	227	250	333	332	323	462	104%	43%

PAGE 17.

Manual Canada I andiana							2006-11	2010-11
Manual Count Locations	2006	2007	2008	2009	2010	2011*	%	%
							Change	Change
11th and Market	545	585	726	808	818	1173	115%	43%
17th and Valencia	441	541	690	606	771	862	95%	12%
Broadway and Columbus	95	80	94	63	96	138	45%	44%
Broadway and Embarcadero	393	369	594	554	498	615	56%	23%
Cervantes and Marina	240	292	490	518	382	531	121%	39%
Cesar Chavez and Harrison	39	48	54	57	35	64	64%	83%
Embarcadero and Townsend	195	259	319	315	366	569	192%	55%
Fell and Scott	202	250	302	373	410	420	108%	2%
Golden Gate and Masonic	42	38	47	43	54	75	79%	39%
McAllister and Polk	223	266	295	309	311	400	79%	29%
Page and Scott	376	420	578	613	689	1053	180%	53%
Polk and Sutter	158	181	209	203	258	263	66%	2%
Portola and O'Shaughnessy	23	29	29	28	11	24	4%	118%
Stockton and Sutter	37	74	95	113	141	133	259%	-6%
Bicyclists Counted	4,862	5,504	6,943	7,332	7,793	10,139	109%	30%
* September adjustment count/percent change to compare 2011 to 2006-2010 (see Appendix C):							71%	7%


If the 2011 bicycle counts (manual, automated and MTC) are any indication, San Francisco is becoming a national leader in bicycle ridership. With the 2010 Board of Supervisors adopted goal of a 20% mode share by 2020, San Francisco committed itself to becoming the number one bicycling city in the United States. Working toward this ambitious goal, the city and our partners continue to maximize the growth in bicycle mode share.

The totals shown here only include locations counted in all six of the study years for the 5:00 - 6:30 p.m. peak. Based on automated count data comparisons (see Appendix C), 18% of the growth from 2010 - 2011 is due to the shift from early August to late September. While the raw growth rate is 30% (from 7,793 to 10,130), the comparable growth rate is 7% (up to 8,314). It is unknown why counts are high in September, however, schools are back in session and summer travels have ended, bringing many locals back to into the city.

PAGE 18.

Total San Francisco Manual Bicycle Counts Trends Over the Past 6 Years*

Total San Francisco Manual Bicycle Counts Trends Over the Past 6 Years*



Total Manual Bicycle Counts by Year (same locations, same time frame)

Year	August Count	September Count
1 Cai		Count
2006	4,862	0
2007	5,504	0
2008	6,943	0
2009	7,532	0
2010	7,793	0
2011	8,314	10,139**

^{*} These counts represent a sample (10,139) of total daily ridership (75,000 bike trips)

^{**} Approximately 18% of the 2011 increase (shown in red) is attributed to shifting the count from early August (estimated at 8.314 = 82% of 10.139 September counts), Appendix C

<u>PAGE 19.</u>



Image: Families bicycling through the intersection of 24th Street and Mission Street.

PAGE 20.

2010 American Community Survey Data

The American Community Survey (ACS) and the SFMTA counts validate the nationwide increase in bicycle trips. A graph of the ACS results for San Francisco is shown to the right. Over a period of 8 years from 2002 to 2010, bicycle mode share grew 1.4% for commute trips. This national survey and the reported growth rate of bicycle ridership verify the accuracy of the 2011 counts. Top US bicycling cities are show below, all contain major universities.

Top 11 US Cities 2010 in share of Bike Commute Trips

City	Mode share of Bike Commute Trips
Davis, CA	22%
Boulder, CO	10%
Eugene, OR	8%
Berkeley, CA	8%
Cambridge, MA	7%
Santa Barbara, CA	6%
Madison, WI	6%
Gainesville, FL	6%
Portland, OR	6%
Iowa City, IA	6%
Chico, CA	6%


Caption: Cities with the most bike trips have done incredible work to provide bike paths, boulevards, parking and bike-friendly policies while discouraging automobile use for short trips.

Callout Box: According to the ACS*, a steady increase in bicycling (75%) and transit (12%) mode split occurred since 2002. This increase is consistent with the observed growth in the SFMTA bicycle counts.

^{*} The ACS asks San Francisco workers for their "usual commute mode during the last week."

PAGE 21.






San Francisco Commute Trips by Mode

Mode	2002	2009	2010
Transit	30.4%	31.8%	34.1%
Walk	8.0%	10.3%	9.4%
Bicycle	2.1%	3.0%	3.5%

Across the United States, bike commute trips are becoming more common. San Francisco ranks third in trips to work for major US cities over 300,000. Portland is a clear leader in bike commuting but Seattle, San Francisco, and Minneapolis are in a statistical tie for second. Three large California cities make the top 11, including Sacramento and Oakland. Philadelphia is the only city with over 1 million people to make the list. Note: the data from 2000 is from the Decennial US Census and data from 2005 and 2010 is from the ACS.

Top 11 Major US Cities', Percentage of 2010 Commute Trips by Bicycle



PAGE 22.

City	Percentage of 2010 Commute Trips by Bicycle	Percentage of 2005 Commute Trips by Bicycle	Percentage of 2000 Commute Trips by Bicycle
Portland, OR	6.0%	3.5%	1.8%
,			
Seattle, WA	3.6%	2.3%	1.9%
San Francisco, CA	3.5%	1.8%	2.0%
Minneapolis, MN	3.5%	2.4%	1.9%
Washington, DC	3.1%	1.7%	1.2%
Tucson, AZ	3.0%	2.2%	2.2%
Sacramento, CA	2.5%	1.8%	1.4%
Denver, CO	2.2%	1.4%	1.0%
Tampa, FL	1.9%	1.3%	0.9%
Philadelphia, PA	1.8%	0.9%	0.9%
Oakland, CA	1.8%	1.5%	1.2%

PAGE 23.

Bicyclist Behavior in San Francisco



Image: Bicyclist wearing a helmet

Image: Several bicyclists wearing helmets on Market Street

Helmet Use

Since the SFMTA first began conducting manual bicycle counts in 2006, the percent of bicyclists observed wearing helmets has steadily remained close to 70%.

San Francisco has a relatively high percent of helmet usage compared to many European cities. This may be due to differences in culture, legislation, enforcement, grade separation, speed/number of cars, and the bicyclist's perception of safety. Recent nationwide data suggests that 90% of bicyclists killed were not wearing helmets and that helmets reduce the risk of brain injury by 88%.

Sidewalk and Wrong Way Riding

Overall, 94% of San Francisco's bicyclists were observed using bicycle facilities as designed. However, at almost all of this year's count locations, a few bicyclists either rode on the sidewalk and/or the wrong-way down the street. The next page shows the highest percentage of wrong way and sidewalk bicycle behaviors at the bottom of the chart. The two new count locations on Lincoln, a high-speed arterial with no bicycle facilities, reported more than 50% of riders on the sidewalk or riding against traffic.

Wrong way and sidewalk riding can endanger pedestrians, bicyclists, and other roadway users. Collecting data on the rate of these behaviors identifies places in the bicycle network where facilities may be inadequate or have unsafe conditions. SFMTA will work with our partners to improve the conditions that create high levels of wrong way and sidewalk riding (speed, lack of bike lanes or vehicle separation, safety, etc.).

PAGE 24.

Helmet Use, 2006 - 2011 Count Year Percent of Bicyclists using Helmets

Year	Percent of Bicyclists using helmets
2006	65%
2007	72%
2008	67%
2009	69%
2010	71%
2011	68%



Image: Young child riding a bicycle wearing a helmet

PAGE 25.

2011 Bicyclist Behavior by Location




Chart: 2011 Bicyclist Behavior by Location

Count Location	Sidewalk Riding	Wrong-way riding	Wrong-way Sidewalk Riding
17th and Valencia	0	0	0
5th and Market midday	0	0	0
Golden Gate Bridge	0	0	0
Parnassus Ave (UCSF)	2	0	2
7th and Kirkham	0	1	2
Cervantes and Marina	0	3	3
San Bruno and Paul	2	1	5

PAGE 26.

Count Location	Sidewalk Riding	Wrong-way riding	Wrong-way Sidewalk Riding
Portola and O'Shaughnessy	5	0	7
2nd and Townsend	2	2	8
Stockton and Sutter	0	5	10
5th and Market am	1	4	10
11th and Howard	8	4	12
8th Ave and Clement	8	2	13
Broadway and Columbus	2	6	13
7th and 16th	3	5	13
Mission and Ocean	5	1	14
2nd and Folsom	5	2	15
Embarcadero and Townsend	3	2	15
Polk and Sutter	8	3	16
2nd and Market	5	6	16
Cesar Chavez and Harrison	0	7	18
19th and Holloway	10	0	19
Page and Stanyan	9	2	21
Page and Scott	8	2	22
8th and Townsend	16	1	25
5th and Townsend	4	3	25
Mission and Cortland	17	0	27
19th Ave and Sloat	14	3	28
5th and Market pm	2	25	31
19th and Lincoln	18	0	33
14th and Folsom	4	7	35
7th and Lincoln	25	0	37
Golden Gate and Masonic	0	26	37
Fell and Scott	8	17	42
16th and Mission	17	12	44
McAllister and Polk	13	13	45
14th and Market/Church	35	19	59
Market and Valencia	23	13	63
11th and Market	18	9	63
Polk and Grove	19	28	64
Broadway and Embarcadero	0	0	66
17th/Castro and Market	36	7	74

Caption: Bicyclists are concerned for their safety on arterial streets with higher speed limits, more car lanes and fewer bicycle facilities: Mission/Cortland, Portland/O'Shaughnessy, Cesar Chavez/Harrison, Mission/Ocean, Golden Gate/Masonic, San Bruno/ Paul, 19th Ave/Sloat, 17th/Castro.Market, 19th/Lincoln, and 7th/Lincoln

PAGE 27.

Pie Chart: Overall 2011 Bicyclist Behavior

Bicyclist Behavior	Percent of all bicyclists		
Sidewalk Riding	2%		
Wrong-way Riding	1%		
Wrong-way Sidewalk Riding	3%		
Legal Riding	94%		

Call-out text box: About 94% of observed riders used the roadways and facilities as designed. Those who rode against traffic or on the sidewalk did so at locations listed at the bottom of the graph. Riders sometimes use the sidewalk when traffic speeds or perceived dangers are high.

PAGE 28.

Recommendations

Multimodal Counts

In accordance with the SFMTA's Strategic Plan (FY 2013-2018), it is recommended that future bicycle counts be incorporated into regular counts of several modes together: bicycle, pedestrian, auto, taxi and transit. Instead of isolating modes in the counts and obtaining only a partial picture of the flows and interactions on the streets, the SFMTA hopes that with regular automated multimodal counts, a complete picture can be obtained. This data will then be used as part of the agency's Strategic Planning process to give a better picture of San Francisco's sustainable urban mobility and to inform SFMTA's future planning of how to best use San Francisco's limited street space and build towards a truly multimodal network.

Getting Good "Before" and "After" Data

The citywide bicycle count is an opportunity to measure bicycle volumes at locations where future projects are planned. The counts recorded before a bicycle project is implemented provide a baseline to measure the cost-effectiveness and impact of a new project on future ridership. Once this takes place, future bicycle counts enable before and after analysis as part of measuring a project's success.

Automatic Bicycle Counters

Although the automated bicycle counters have been extremely beneficial and instrumental in expanding the 2011 bicycle counts, they collect data inconsistent with the manual bicycle counts. Automated counters count over a specific leg of an intersection, whereas the manual bicycle counts were done across all movements across an entire intersection. Therefore the automatic bicycle counter analysis was separate from the overall analysis. In the future, this should be reconciled and accounted for prior to performing the manual counts to fully utilize the automatic bicycle counters.

New Bicycle Infrastructure and Policy

Between August 2010 and September 2011, the SFMTA has implemented a number of new bicycle infrastructure projects. These locations will continue to be monitored to gather data on how these infrastructure projects have affected bicycle usage and trip making. Infrastructure improvements are one of the most readily available tools to the SFMTA to promote bicycling safety and ridership growth. The agency can also continue to promote public policy changes around bicycle parking and automobile mode shifts. Another option is to better integrate bicycles with the transit system so that users of multiple modes for a single trip have an easier time transferring between modes, bringing bikes onto the transit system and having secure storage without fear of theft or damage.

Call-out box: SFMTA Infrastructure improvements include bike lanes, racks, bike corrals, a new bike-share program, sharrows, bike actuated signals, parklets, bike slams, protected bike ways and cycle tracks.

PAGE 29.



Image: Bicyclist passing a taxi queue at Pier 39 Image: Full bicycle racks on Valencia Street



Map graphic: half of the bicycle route along John F. Kennedy Drive in Golden Gate Park

PAGE 30.

Conclusions

Clear Trends - more bicyclists, more often

The benefits of bicycling are well known; it's affordable, healthy, environmentally sustainable and unlike any other mode of travel, it's active and quite fun. Bicycle ridership is showing consistent increases in San Francisco yet the SFMTA, the traveling public, advocacy groups and our partner agencies have a great deal more to do. One thing that is needed is a new Bicycle Strategy that will provide direction for the city in the coming years in order to:

- 1. Better connect destinations across the city to one another by bicycle routes.
- 2. Educate the youth in schools on how to ride safely and frequently.
- 3. Provide abundant and secure bike parking.
- 4. Improve citywide bike-friendly policies along with marketing and engineering efforts.

The path ahead must be one for increasing sustainable mobility throughout San Francisco and the region. Safe and convenient bicycling and walking will no doubt be the cornerstone of this mobility.

As part of the city's ongoing efforts the following will be key contributors to increasing bicycle count numbers and overall ridership:


- 1. Develop the new Bicycle Strategy.
- 2. Complete a multimodal regional traffic model.
- 3. Implement the regional Bike-Sharing program.
- 4. Provide more bike parking and bike lanes, boulevards and cycletracks.
- 5. Develop a Bike-Transit Integration Study.
- 6. Implement Complete Streets design.

Not only will all of these efforts help San Francisco achieve some of its sustainable mobility and mode split goals, but it will provide critical data to better inform future bicycle and multimodal counts.

PAGE 31.



Image: Bicyclists and pedestrians on a hill with City Hall in the background Call-out box: More people are riding throughout the city, especially down Market Street, along the Wiggle and to and from the Mission.



Map: half of the bicycle route along John F. Kennedy Drive in Golden Gate Park

PAGE 32.

Appendix A: Bicycle Count Methodology


The SFMTA bicycle counts follow national best practices and a consistent methodology, as outlined by the National Bicycle and Pedestrian Documentation Project (NBPDP).1 The NBPDP seeks to establish a standardized bicycle and pedestrian count methodology across the country. This enables better data comparison between cities and allows jurisdictions to collaborate on growing bicycle ridership.

Forty-one locations were manually counted by SFMTA interns or community volunteers working a total of 44 shifts.² Counts were conducted on Tuesdays, Wednesdays, and Thursdays during the study period of two weeks (September 20th-22nd and 27th-29th).3 During 2011, the weather was fair and did not negatively impact bicycle ridership. All locations were counted in 15 minute increments during the afternoon peak rush hours from 4:30 p.m. to 6:30 p.m.. The Fifth/Market Street location was also counted for an hour in the am peak (8-9 a.m.) and midday (1-2 p.m.).

At each location, bicyclists on all approaches to an intersection were counted manually and categorized based on their turning movement: left turn, right turn, or straight through. Bicyclists riding on sidewalks or travelling the wrong-way down a street, as well as helmet use were also noted. An example of the bicycle count reporting form can be found in Appendix D.

PAGE 33.

Map: All 2011 manual, regional and automated Bicycle Count Locations marked on a map of the City and County of San Francisco's arterials and Bicycle Network.



Bicycle Count Changes from 2010

Counting in September instead of August

This year's counts were taken in September, primarily to be in line with NPBDP recommendations, but also to capture a time frame when schools are back in session. The SFMTA has an active Safe Routes to School program which has seen an increase in bicycle riding among students in San Francisco.

In order to correct for bicycle use difference between early August and late September, automatic bicycle counter data was analyzed. The data revealed that the last two weeks of September have approximately 18% more cycling activity than the first two weeks in August.

PAGE 34.

This analysis can be found in Appendix C and informs how counts from this year can be compared with those conducted between 2006-2010.

Lengthening the count shift to two hours

In 2011, the count shift was expanded from 1.5 hours (5-6:30 p.m.) to two hours (4:30-6:30 p.m.) following NPBDP's recommendation to count for two hours in the a.m. or p.m. peak. Comparisons of the 2011 counts to previous years use the same time of day as before (15 minute increments from 5-6:30 p.m.).

No longer classifying riders by gender

In previous years, counters made attempts to classify bicyclists by gender. However, this item was dropped from the 2011 count, primarily out of concern for data accuracy. After comparing manual observations with survey data, it appeared that female ridership was being overestimated. The SFMTA conducted phone and in-person interviews in January and June 2011 which show that 27% of riders are female and 73% are male.

Discontinuing the downtown cordon count

Previous bicycle count reports have compared downtown versus non-downtown locations. That designation was dropped in this year's effort out of concerns that San Francisco's downtown street grid is accessible from too many directions to create a true cordon without requiring a dramatic increase in the number of locations counted.

Two count staff at high-volume locations

The 2010 report recommended covering some of the highest volume count locations with two count staff. As a result, the Fifth/Market Street and Church/Market Street/14th St. locations each had two staff to conduct the counts.

Adding new count locations and eliminating others

A total of 18 new count locations have been added this year, primarily to capture accurate "before" data for locations scheduled to receive new bicycle infrastructure in the next few years. Other locations were added to assess bicycle ridership on streets with many pedestrians and/or transit riders, both on and off of the city's official bicycle route network.

A total of twelve locations were left out of the 2011 manual count. Four locations were dropped because automatic bicycle counters were installed, six were due to consistently low count numbers; and two were eliminated due to concerns with field accuracy.

Call-out Box: Summary of Count Methodology Changes

- Counting in September instead of August
- Lengthening the count shift to two hours
- No longer classifying riders by gender (using survey data instead shows a 73-27% male to female split)
- Discontinuing the downtown cordon count
- Covering high-volume locations with two count staff
- Adding new locations and eliminating low-ridership locations
- Using automatic counters at select locations

PAGE 35.

• Including data from the city's automatic bicycle counters and from the Metropolitan Transportation Commission

New Count Locations

Location	Reason Added	
14th and Market/Church	14th St bicycle lanes (2013/14)	
16th and Mission	Heavy transit/pedestrian intersection	
17th/Castro and Market	Heavy transit/pedestrian intersection	
10th and Hallaway	Holloway bicycle lanes (Summer 2011)Replaces	
19th and Holloway	Lake Merced and Winston	
19th and Lincoln	Golden Gate Park entrance	
19th and Sloat	Sloat bicycle lanes (2013/14)	
2nd and Folsom	2nd St bicycle lanes	
2nd and Market	2nd St bicycle lanes	
7th and Lincoln	7th Ave at Lincoln intersection improvements	
7th and Emcom	project (2012/13)	
8th Ave and Clement	Presidio and Golden Gate Park connection	
Golden Gate Bridge	Popular bicycle route	
	McCoppin bike path (Summer 2011) and	
Market and Valencia	Market/Valencia intersection improvements	
	(2013/14)	
Mission and Cortland	Captures south end of Mission	
Mission and Ocean	Heavy transit/pedestrian intersection	
Dago and Stanyon	Page and Stanyan intersection improvements (Fall	
Page and Stanyan	2012)	
Parnassus Ave at UCSF	Captures university ridership	
Polk and Grove	Heavy transit/pedestrian intersection	
	San Bruno Ave bicycle lanes (2012/13)	

Eliminated Count Locations

Reason Eliminated (# of 2010 bicyclists)
Auto counter
Low volume (27 in 2010)
Auto counter
Low volume (25 in 2010)
Auto counter
Counting issues in previous years
Low volume (38 in 2010)

PAGE 36.

Location	Reason Eliminated (# of 2010 bicyclists)	
Illinois and Mariposa/Terry Francois	Low volume (74 in 2010)	
JFK and Transverse	Counting issues in previous years	
Lake Merced and Winston	Low volume (42 in 2010). Replaced by new location	
Lake Weited and Whiston	at 19th and Holloway	
Masonic and Panhandle Path	Auto counter	
Randall and San Jose	Low volume (74 in 2010). Replaced by new location	
Kandan and San Jose	at Mission and Cortland	

PAGE 37.

Appendix B: Upcoming Bicycle Projects

The San Francisco Municipal Transportation Agency (SFMTA) is currently engaged in the planning of many new upcoming bicycle projects in the next few years, ranging from bicycle lane implementations to traffic signal improvements and bike parking expansion. Some of these projects are shown in the figure below. To inform SFMTA on the effectiveness of these planned bicycle improvements, count locations corresponding to these projects were added this year to be included with past count locations. These locations can be coupled with counts after implementation and analyzed to determine the effectiveness of the implementation and goals of these projects.



Image: Bicyclists in a bike box on Scott Street



Image: installing safe-hit posts on Market Street to separate the bicycle lane from the traffic lanes

PAGE 38.

Upcoming Bicycle Projects

Upcoming Bicycle Projects	Estimated	
Upcoming Bicycle Project	Esumated Implementation	Count Location
McCoppin Street bicycle path, Market Street to Valencia Street	Summer 2011	Market at Valencia (not Octavia)
Holloway Avenue bicycle lanes, Junipero Serra Boulevard to Varela Avenue	Summer 2011	NEW 19th at Holloway
Bayshore Boulevard bicycle lanes, Cesar Chavez Street to Silver Avenue	Fall 2011	Bayshore at Silver
PHASE II (final) - Portola Drive bicycle lanes, Corbett Avenue to O'Shaughnessy Boulevard	Fall 2011	Portola at O'Shaughnessy
Portola Drive bicycle lanes, O'Shaughnessy Boulevard to Sloat Boulevard	Fall 2011	Portola at O'Shau
John Muir Drive bicycle lanes, Lake Merced Blvd to Skyline Boulevard	Winter 2011/12	John M at Skyline
23rd Street bicycle lanes, Kansas Street to Potrero Avenue	Winter 2011/12	23rd at Potrero
John F. Kennedy Drive bicycle lanes, Kezar Drive to Transverse Drive	Winter 2011/12	JFK at Transverse
Page and Stanyan Streets intersection traffic signal improvements	Fall 2012	Page at Stanyan
Great Highway and Point Lobos Avenue bicycle lanes, Cabrillo Street to El Camino del Mar	Summer 2013, Bond dependent	NEW GH at Point Lobos
San Bruno Avenue bicycle lanes, Paul Avenue to Silver Avenue	FY 2012/13	San Bruno at Paul
7th Avenue at Lincoln Way intersection improvements	FY 2012/13	7th at Lincoln
Market and Valencia Streets intersection improvements	FY 2013/14	Market at Valencia (not Octavia)
PHASE II (final) - 14th Street eastbound bicycle lane, Dolores Street to Market Street	FY 2013/14	14th at Market/Church
Polk Street northbound contraflow bicycle lane, Market Street to McAllister Street	FY 2013/14	Polk at Grove
Sloat Boulevard bicycle lanes, The Great Highway to Skyline Boulevard	FY 2013/14	19th at Holloway
Fell and Oak streets bikeway improvements	FY 2013/14	MTC (Baker at Fell) 2010 Manual (Fell at Scott)
Cesar Chavez/26th Streets corridor bicycle lanes, Sanchez Street to US 101	FY 2013/14	CC at Harrison
Masonic Avenue bicycle lanes, Fell Street to Geary Boulevard	TBD on Full Funding	2010 Manual Count Kept GG at Masonic (USF)
5th Street bicycle lanes, Market Street to Townsend Street	TBD	5th at Townsend and at Market

PAGE 39.

Upcoming Bicycle Project	Estimated Implementation	Count Location
16th Street bicycle lanes, 3rd Street to Terry Francois Boulevard	TBD	16th at Terry Francois

PAGE 40.

Appendix C: August to September Adjustment

Calculating the August to September Adjustment

Along with expanding the counts to two hours, the fact that counts took place in September instead of August necessitated the calculation of an adjustment ratio. These numbers are included to allow a comparison with past years' counts. The adjustment allows the September 2011 count to be comparable to bicycle counts from prior years. The table below shows the detailed calculations obtained from automatic counters to calculate the average ratio used for this adjustment. On average, bicycle counts are 18% higher in late September over early August.

Location	Date	Week 1	Week 2	Average	Ratio: Aug/Sept
Fell	Aug 2011	10,419	12,754	11,587	-
Fell	Sept 2011	13,091	17,423	15,257	0.76
Fell	Aug 2010	10,405	10,994	10,700	-
Fell	Sept 2010	13,185	15,249	14,217	0.75
Fell	Aug 2009	9,637	9,127	9,382	-
Fell	Sept 2009	10,450	12,594	11,522	0.81
Lake	Aug 2011	1,321	1,451	1,386	-
Lake	Sept 2011	1,458	1,644	1,551	0.89
Panhandle	Aug 2011	22,071	30,154	26,113	-
Panhandle	Sept 2011	27,084	41,529	34,307	0.76
Market EB	Aug 2011	12,625	13,184	12,905	-
Market EB	Sept 2011	14,217	15,138	14,678	0.88
Market WB	Aug 2011	12,233	13,161	12,697	-
Market WB	Sept 2011	13,911	14,963	14,437	0.88
Valencia SB	Aug 2011	7,311	7,808	7,560	-
Valencia SB	Sept 2011	7,883	8,695	8,289	0.91
Valencia NB	Aug 2011	9,708	9,987	9,846	-
Valencia NB	Sept 2011	11,288	11,666	11,477	0.86
14 th St	Aug 2011	4,503	4,831	4,667	-
14 th St	Sept 2011	5,428	5,950	5,689	0.82
Kirkham	Aug 2011	728	762	745	-

PAGE 41.

Location Date		Week 1	Week 2	Average	Ratio: Aug/Sept		
Kirkham	Sept 2011	975	1,180	1,078	0.69		
Arguello	arguello Aug 2011		2,221	2,116	-		
Arguello	Sept 2011	2,213	2,082	2,148	0.99		
Potrero NB	Aug 2011	855	893	874	-		
Potrero NB	Sept 2011	982	1,010	986	0.89		
6 th Ave	Aug 2011	322	331	327	-		
6 th Ave	Sept 2011	434	442 438		0.75		
	AVERAGE RATIO:						

PAGE 42.

6:00-6:15

6:15-6:30

Appendix D: Manual Count Data Sheet

SFMTA SUSTAINABLE STREETS: CITYWIDE BICYCLE COUNT 2011 (1 of 2)

Location:	8	at	Town	send				_		~		
Date: Day:										$\overline{}$		
										Division Division		
Observer:								w	est	$\overline{}$	East	
Time: from	to		_						H	enry Adar	ns N	†
Notes:												
								O	n the diag	gram, plea	ise Identif	y
								,.	or country	g rocation.		
		FROM	8ТН			FROM TO	WNSEN	<u> </u>		FROM D	VISION E	AST
		South	east			South	nwest		West			
	TO TOWNSEND	TO DIV. E.	TO H. ADAMS	TO DIV. W.	TO DIV. W.	TO H. ADAMS	TO DIV. E.	то втн	TO H. ADAMS	TO DIV. W.	то втн	TO TOWNSEND
4:30-4:45												
4:30-4:45												
4:45-5:00												
5:00-5:15												
5:15-5:30												
5:30-5:45												
3.30-3.43												
5:45-6:00												

Sidewalk						
Sidewalk Wrong Way						
Wrong Way						

Image: one of the forms the project staff completed during the count, describing the location, date, day, weather, observer, time and any additional notes. The counts were recorded in 15-minute increments between 4:30 pm - 6:30 pm and separated by the direction the bicyclists were heading at each intersection. Also recorded were sidewalk riders, sidewalk wrong-way riders and wrong-way riders.

PAGE 43.



Map graphic: half of the bicycle route along John F. Kennedy Drive in Golden Gate Park

PAGE 44.

Endnotes:



Image: Bicyclists on Market Street

- The annual bicycle counts are not meant to measure the exact number of people who
 bicycle in San Francisco, nor are they intended to determine travel mode split. For a more
 comprehensive look at bicycle ridership in San Francisco, see the 2011 San Francisco
 State of Cycling Report, which summarizes information from a variety of data sources
 including automated bicycle counters, the United States Census, and telephone/in-person
 surveys.
- 2. The NBPDP is an annual bicycle and pedestrian count and survey effort sponsored by the Institute of Transportation Engineers Pedestrian and Bicycle Council, which seeks to establish a standardized bicycle and pedestrian count methodology and to disseminate this methodology to cities across the country. The ultimate goal is to develop a national database of count information that will provide bicycle and pedestrian planners with crucial data to support their work. Please visit bikepeddocumentation.org for more information.
- 3. SFMTA and Corey, Canapary & Galanis Research conducted two random telephone surveys of San Francisco residents in 2011. Both revealed approximately 3.5% of all trips in the city were made by bicycle.
- 4. Three of the highest volume locations had two counters to ensure complete data collection.
- 5. Portola at O'Shaughnessy was counted on Thursday, October 6, 2011.
- 6. 16 automatic locations: Panhandle, east bound (EB) Market, west bound (WB) Market, EB Kirkham, NB 7th, SB 6th, NB Portrero, SB Portrero, EB North Point, WB North

PAGE 45.

Point, Polk, EB Grove, SB Valencia, NB Valencia, 14th Street, Lake, NB Arguello, SB Arguello, WB Fell.

7.

- 8. SFMTA uses Eco-Counter's ZELT Inductive Loop Counters. Inductive loop counters are installed 1 to 3 inches below the road surface and each time a bicycle travels over the loop, the system detects its electromagnetic signature and registers a count. These counters are invisible to the public and are designed to distinguish between bicyclists and other users of the street, such as automobiles or pedestrians. Furthermore, they require minimal maintenance as the batteries last for approximately one year. See www.eco-computer.com for more information.
- 9. We observed an unusual pattern of helmet usage at the Marina Green location (Marina Blvd at Cervantes Blvd). This year, only 24% of the 651 observed cyclists were wearing helmets, compared to 71% in 2010 and 74% in 2007. Care should be taken during next year's count to ensure that helmet counts are accurate at this location.

Photo Credits:

Images from SFMTA Photo Archives, SFBike.org, SF Streetsblog, Empower SF, SF Bicycle Coalition.



Map: half of the bicycle route along John F. Kennedy Drive in Golden Gate Park

PAGE 46.

Back Cover:



Image: Bicyclists at the foot of Lombard Street

San Francisco Municipal Transportation Agency 1 South Van ness Avenue San Francisco, CA 93103 www.sfmta.com