

Sustainable Streets Division Directive Order No. 6734

Pursuant to the public hearing held on February 2, 2024, traffic movement and safety may be improved by the changes approved below. The Environmental Clearance for these items is noted on Order No. 6730.

1. ESTABLISH – RESIDENTIAL PERMIT PARKING AREA Z (Eligibility only, no signs)

3822-3830 24th Street (Supervisor District 8) (Requires approval by the SFMTA Board) Gerry Porras, gerry.porras@sfmta.com

The proposed modification would add RPP eligibility to the residents of 3822-3830 24th Street so they can purchase parking permits for their vehicle to park within RPP Area Z.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

2. ESTABLISH – RESIDENTIAL PERMIT PARKING AREA S (Eligibility only, no signs)

4063-4067 24th Street (Supervisor District 8) (Requires approval by the SFMTA Board) Gerry Porras, gerry.porras@sfmta.com

The proposed modification would add RPP eligibility to the residents of 4063-4067 24th Street so they can purchase parking permits for their vehicle to park within RPP Area S.

Public Comments: Received email prior to public hearing with concerns about parking regulation changes. No comments received during the public hearing.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

3. ESTABLISH – RESIDENTIAL PERMIT PARKING AREA I (Eligibility only, no signs)

976-980 Valencia Street (Supervisor District 9) (Requires approval by the SFMTA Board) Gerry Porras, gerry.porras@sfmta.com

The proposed modification would add RPP eligibility to the residents of 976-980 Valencia Street so they can purchase parking permits for their vehicle to park within RPP Area I.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

4. ESTABLISH – RESIDENTIAL PERMIT PARKING AREA S (Eligibility only, no signs)

760-762 Valencia Street (Supervisor District 9) (Requires approval by the SFMTA Board) Gerry Porras, gerry.porras@sfmta.com



The proposed modification would add RPP eligibility to the residents of 760-762 Valencia Street so they can purchase parking permits for their vehicle to park within RPP Area S.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

5. ESTABLISH – RESIDENTIAL PERMIT PARKING AREA I (Eligibility only, no signs)

3165-3167 24th Street (Supervisor District 9) (Requires approval by the SFMTA Board) Gerry Porras, gerry.porras@sfmta.com

The proposed modification would add RPP eligibility to the residents of 3165-3167 24th Street so they can purchase parking permits for their vehicle to park within RPP Area I.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

6. ESTABLISH – STOP SIGNS

Jamestown Avenue, eastbound and westbound, at Griffith Street (Supervisor District 10) (Approvable by the City Traffic Engineer) Michael Tsai, michael.tsai@sfmta.com

Proposal to convert this intersection to an all-way STOP.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer for implementation. #

7(a). ESTABLISH – STOP SIGNS

- **A.** Wawona Street, eastbound and westbound, at 20th Avenue, making this intersection an allway STOP
- **B.** 21st Avenue, southbound, at Wawona Street
- C. 22nd Avenue, southbound, at Wawona Street
- **D.** 23rd Avenue, southbound, at Wawona Street
- **E.** 24th Avenue, southbound, at Wawona Street

7(b). ESTABLISH – RED ZONES

A. Wawona Street, north side, from 20th Avenue to 16 feet easterly (extends existing 9-foot red zone to 16 feet)

B. Wawona Street, north side, from 21st Avenue to 20 feet easterly (extends existing 10-foot hydrant red zone to 20 feet)

C. Wawona Street, north side, from 22nd Avenue to 20 feet easterly (extends existing 10-foot hydrant red zone to 20 feet)



- **D.** Wawona Street, north side, from 23rd Avenue to 20 feet easterly
- **E.** Wawona Street, north side, from 24th Avenue to 20 feet easterly
- F. 22nd Avenue, west side, from Wawona Street to 20 feet northerly
- **G.** 23rd Avenue, west side, from Wawona Street to 13 feet northerly
- H. 24th Avenue, west side, from Wawona Street to 13 feet northerly

(Supervisor District 4) (Approvable by the City Traffic Engineer) Edward Tang, edward.tang@sfmta.com

Proposal to stop the stem of the T-intersection at 21st Avenue, 22nd Avenue, 23rd Avenue, and 24th Avenue at Wawona Street to clarify the right-of-way, make 20th Avenue and Wawona Street an all-way STOP due to collision rate, and establish red zones to increase visibility.

Public Comments: Received emails prior to public hearing in support and requesting for additional STOP signs and marked crosswalks. Received comment during public hearing regarding added traffic on Wawona due to construction projects on Taraval and Vicente and possible re-evaluation after construction is completed.

Decision: Approved by the City Traffic Engineer for implementation. (**#** item 7(a) is reviewable by the Board of Supervisors)

8(a). RESCIND – SHARED TURN AND THROUGH LANE ESTABLISH – THROUGH LANE

ESTABLISH – RIGHT LANE MUST TURN RIGHT, EXCEPT MUNI

Eucalyptus Drive, eastbound, at 19th Avenue

8(b). RESCIND – SHARED TURN AND THROUGH LANE

ESTABLISH – THROUGH LANE, EXCEPT MUNI

Montgomery Street, southbound, at Clay Street

8(c). RESCIND – SHARED TURN AND THROUGH LANE ESTABLISH – THROUGH LANE

14th Street, eastbound, at Folsom Street

(Supervisor Districts 3, 4, 7 & 9) (Approvable by the City Traffic Engineer) Michael Tsai michael.tsai@sfmta.com

Proposal to remove dual turn lanes with an overlapping pedestrian phase to improve pedestrian safety and allow Muni more flexibility navigating through 19th Avenue and turning on Montgomery Street to Clay Street.

Public Comments: Comment in support. Question raised regarding the number of additional locations with similar improvements.



Decision: Approved by the City Traffic Engineer for implementation.

9. ESTABLISH – NO PARKING ANY TIME EXCEPT BICYCLES

Linden Street, south side, from 76 feet to 92 feet east of Octavia Street (removes General Metered Parking Space #329).

Linden Street, south side, from 113 feet to 130 feet east of Octavia Street (removes General Metered Parking Space #325).

(Supervisor District 5) (Approvable by the City Traffic Engineer) Jason Hyde, Jason.Hyde@sfmta.com

This proposal would establish two (2) on-street bicycle corrals in two (2) existing general metered parking spaces on Linden Street at Octavia Street.

Public Comments: No comments.

Decision: Approved by the City Traffic Engineer for implementation.

10(a). ESTABLISH – LEFT TURN ONLY

Monticello Street, southbound, at 19th Avenue

10(b). ESTABLISH – TOW-AWAY, NO STOPPING ANY TIME

Monticello Street, east side, from 19th Avenue to 60 feet northerly

(Supervisor District 11) (Requires approval by the SFMTA Board) Edgar Orozco, edgar.orozco@sfmta.com

A transit boarding island for inbound M Ocean View trains is proposed to be built partly through the intersection of Monticello Street and 19th Avenue. This proposal will inhibit the right-turn movement from southbound Monticello onto 19th Avenue.

Public Comments: Comments received in opposition due to concerns for traffic circulation and the need for a transit boarding island based on boarding and alighting activities. Question also raised regarding environmental clearance.

Decision: Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

11. ESTABLISH – NO STOPPING EXCEPT BICYCLES ESTABLISH – BIKE SHARE STATION

Valencia Street, east side, from 60 feet to 119 feet north of the northern crosswalk at Duncan Street (59-foot bike share station) (Supervisor District 9) (Approvable by the City Traffic Engineer) Laura Stonehill, laura.stonehill@sfmta.com



Proposal to shift the Bay Wheels bike share station from the floating parking lane on the east side of Valencia Street, south of Cesar Chavez Street, south, to be north of Duncan, to accommodate a multi-year construction project.

Public Comments: Question received regarding possible impacts to nearby Muni bus zone and transit operations.

Decision: Approved by the City Traffic Engineer for implementation.

12(a). RESCIND – CLASS IV BIKEWAY (PARKING PROTECTED BIKEWAY)

Howard Street, westbound, north side, between The Embarcadero and 4th Street (curbside bike lane with buffer and floating parking)

12(b). ESTABLISH – CLASS IV BIKEWAY (PARKING PROTECTED BIKEWAY)

Howard Street, eastbound and westbound, south side, between 4th Street and The Embarcadero (curbside two-way bike lane with buffer and floating parking)

12(c). ESTABLISH – TOW-AWAY, NO PARKING ANY TIME

- **A.** Howard Street, south side, from Hawthorne Street to 13 feet west of Hawthorne Street
- **B.** Howard Street, south side, from 78 feet to 123 feet west of Hawthorne Street
- **C.** Howard Street, south side, from 2nd Street to 4 feet west of 2nd Street
- **D.** Howard Street, north side, from 3rd Street to 15 feet to the east
- **E.** Howard Street, north side, from New Montgomery Street to 16 feet westerly
- F. Howard Street, north side, from New Montgomery Street to 39 feet easterly
- **G.** Howard Street, south side, from 234 feet to 321 feet west of 1st Street
- H. Howard Street, south side, from 1st Street to 48 feet westerly
- I. Howard Street, north side, from 2nd Street to 12 feet easterly
- J. Howard Street, north side, from 200 feet to 300 feet east of 2nd Street
- K. Howard Street, north side, from 340 feet to 424 feet east of 2nd Street
- L. Howard Street, north side, from 198 feet to 209 feet west of 1st Street
- **M.** Howard Street, north side, from 1st Street to 23 feet westerly
- **N.** Howard Street, south side, from Fremont to 31 feet westerly
- **O.** Howard Street, north side, from 1st Street to 10 feet easterly
- **P.** Howard Street, north side, from Fremont Street to 40 feet westerly
- **Q.** Howard Street, south side, from Fremont Street to 38 feet easterly
- **R.** Howard Street, south side, from 109 feet to 173 feet east of Fremont
- **S.** Howard Street, south side, from Beale Street to 19 feet westerly
- T. Howard Street, south side, from Main Street to 22 feet westerly
- **U.** Howard Street, south side, from Main Street to 39 feet easterly
- V. Howard Street, north side, from Spear Street to 36 feet westerly
- **W.** Howard Street, south side, from Spear Street to 194 feet easterly
- **X.** Howard Street, south side, from Steuart Street to 34 feet westerly
- **Y.** Howard Street, north side, from Steuart Street to 40 feet westerly



12(d). ESTABLISH – TOW-AWAY, NO STOPPING ANY TIME

- **A.** Howard Street, south side, from 4th Street to 58 feet westerly
- **B.** Howard Street, south side, from 3rd Street to 4th Street (north side of two-way class IV bikeway)
- **C.** Howard Street, south side, from 3rd Street to 224 feet easterly
- **D.** Howard Street, south side, from Hawthorne Street to 261 feet easterly
- **E.** Howard Street, north side, from 125 feet to 274 feet east of 3rd Street
- **F.** Howard Street, south side, from 2nd Street to 174 feet easterly
- **G.** Howard Street, south side, from 239 feet to 319 feet east of 2nd Street
- H. Howard Street, south side, from 377 feet to 427 feet west of 1st Street
- I. Howard Street, south side, from 1st Street to 175 feet easterly
- J. Howard Street, north side, from Fremont Street to 130 feet easterly
- **K.** Howard Street, south side, from Beale Street to 152 feet easterly
- **L.** Howard Street, north side, from Beale Street to 159 feet easterly
- M. Howard Street, north side, from Main Street to 96 feet westerly
- **N.** Howard Street, south side, from Spear Street to 189 feet westerly
- **O.** Howard Street, north side, from Main Street to 130 feet easterly
- **P.** Howard Street, north side, from Beale Street to 31 feet westerly
- **Q.** Howard Street, north side, from Spear Street to 119 feet easterly
- **R.** Howard Street, south side, from Steuart Street to The Embarcadero
- **S.** Howard Street, north side, from Steuart Street to The Embarcadero

12(e). ESTABLISH – RED ZONE

Howard Street, north side, from 227 feet to 254 feet west of 1st Street

12(f). ESTABLISH – GENERAL METERED PARKING, 2-HOUR TIME LIMIT, 9 AM TO 6 PM, MONDAY THROUGH SATURDAY

- A. Howard Street, south side, from 224 feet to 264 feet east of 3rd Street
- B. Howard Street, south side, from 13 feet to 78 feet west of Hawthorne Street
- C. Howard Street, south side, from 321 feet to 377 feet west of 1st Street
- **D.** Howard Street, south side, from 109 feet to 189 feet west of 1st Street
- E. Howard Street, north side, from 12 feet to 95 feet east of 2nd Street
- F. Howard Street, north side, from 298 feet to 339 feet west of 1st Street
- **G.** Howard Street, north side, from 209 feet to 227 feet west of 1st Street
- **H.** Howard Street, north side, from 135 feet to 198 feet west of 1st Street

12(g). ESTABLISH – METERED YELLOW ZONE, COMMERCIAL LOADING, 7 AM TO 6 PM, MONDAY THROUGH SATURDAY

- A. Howard Street, north side, from 274 feet to 296 feet east of 3rd Street
- **B.** Howard Street, north side, from 39 feet to 64 feet east of New Montgomery Street
- C. Howard Street, north side, from 85 feet to 131 feet east of New Montgomery Street



- **D.** Howard Street, south side, from 174 feet to 196 feet east of 2nd Street
- E. Howard Street, south side, from 189 feet to 234 feet west of 1st Street
- F. Howard Street, north side, from 300 feet to 340 feet east of 2nd Street
- **G.** Howard Street, north side, from 254 feet to 298 feet west of 1st Street
- **H.** Howard Street, north side, from 40 feet to 132 feet west of Fremont Street
- I. Howard Street, south side, from 38 feet to 109 feet east of Fremont Street
- J. Howard Street, north side, from 79 feet to 145 feet west of Beale Street
- **K.** Howard Street, north side, from 96 feet to 116 feet west of Main Street
- L. Howard Street, north side, from 102 feet to 146 feet west of Spear Street
- **M.** Howard Street, south side, from 34 feet to 81 feet west of Steuart Street

12(h). ESTABLISH – WHITE ZONE, PASSENGER LOADING, AT ALL TIMES

- A. Howard Street, north side, from 15 feet to 81 feet east of 3rd Street
- B. Howard Street, north side, from 179 feet to 245 feet west of New Montgomery Street
- C. Howard Street, south side, from 319 feet to 399 feet east of 2nd Street
- D. Howard Street, north side, from 23 feet to 135 feet west of 1st Street
- E. Howard Street, south side, from 31 feet to 99 feet west of Fremont Street
- F. Howard Street, north side, from 10 feet to 143 feet east of 1st Street
- G. Howard Street, north side, from 31 feet to 79 feet west of Beale Street
- H. Howard Street, south side, from 22 feet to 123 feet west of Main Street
- I. Howard Street, south side, from 39 feet to 87 feet east of Main Street
- J. Howard Street, north side, from 119 feet to 169 feet east of Spear Street

12(i). ESTABLISH – WHITE ZONE, PASSENGER LOADING, 7 AM TO 6 PM, MONDAY THROUGH SATURDAY

Howard Street, south side, from 4 feet to 64 feet west of 2nd Street

12(j). ESTABLISH – WHITE ZONE, PASSENGER LOADING, 7 AM TO 7 PM, MONDAY THROUGH SATURDAY

Howard Street, south side from 48 feet to 109 feet west of 1st Street

12(k). ESTABLISH – WHITE ZONE, PASSENGER LOADING, 11:30 AM TO 1:30 PM, AND 5 PM TO MIDNIGHT, DAILY

Howard Street, south side, from 196 feet to 238 feet east of 2nd Street

12(I). ESTABLISH – WHITE ZONE, PASSENGER LOADING, 6 PM TO MIDNIGHT, TUESDAY THROUGH SATURDAY NIGHT

Howard Street, north side, from 339 feet to 402 feet west of 1st Street

12(m).ESTABLISH – WHITE ZONE, TAXICAB ONLY, AT ALL TIMES

Howard Street from 81 feet to 125 feet east of 3rd Street



12(n). ESTABLISH – WHITE ZONE, PASSENGER LOADING, 6 PM TO 2 AM, DAILY ESTABLISH – METERED YELLOW ZONE, COMMERCIAL LOADING, 9 AM TO 6 PM, MONDAY THROUGH SATURDAY

3rd Street, east side from 32 feet to 76 feet north of Howard Street

12(o). ESTABLISH – METERED MOTORCYCLE PARKING, 7 AM TO 6 PM, MONDAY THROUGH SATURDAY

Howard Street, north side, from 16 feet to 84 feet, west of New Montgomery Street

12(p). RESCIND – BIKE SHARE STATION

Howard Street, north side, from 87 feet to 132 feet east of New Montgomery Street Howard Street, north side, from 100 feet to 187 feet east of Beale Street

12(q). ESTABLISH – BIKE SHARE STATION

Howard Street, south side, from 92.5 feet to 155 feet east of New Montgomery Street Howard Street, south side, from 19 feet to 101 feet west of Beale Street

12(r). RESCIND – TRANSIT BOARDING ISLAND

RESCIND – TOW-AWAY, NO STOPPING ANY TIME

- A. Howard Street, north side, from 2nd Street to 85 feet westerly
- **B.** Howard Street, north side, from Fremont Street to 88 feet westerly
- **C.** Howard Street, north side, from Spear Street to 50 feet easterly

12(s). ESTABLISH – BUS ZONE

ESTABLISH – TOW-AWAY, NO STOPPING ANYTIME

Howard Street, north side, from 2nd Street to 85 feet westerly

12(t). ESTABLISH – RED ZONE, 7 AM TO 10 AM, MONDAY THROUGH FRIDAY EXCEPT MUNI ESTABLISH – GENERAL METERED PARKING, 10 AM TO 6 PM, MONDAY THROUGH FRIDAY

Howard Street, north side, from 95 feet to 200 feet east of 2nd Street (bus layover during AM peak period)

12(u). ESTABLISH – RED ZONE, 3 PM TO 7 PM, MONDAY THROUGH FRIDAY EXCEPT MUNI ESTABLISH – METERED YELLOW ZONE, COMMERCIAL LOADING, 7 AM TO 3 PM MONDAY THROUGH FRIDAY, 7 AM TO 7 PM, SATURDAY

Howard Street, north side, from 36 feet to 102 feet west of Spear Street (bus layover during AM peak period)

Howard Street, north side, from 40 feet to 106 feet west of Steuart Street (bus layover during AM peak period)

12(v). ESTABLISH – NO TURN ON RED



- A. 4th Street, southbound, at Howard Street
- **B.** Howard Street, westbound, at 4th Street
- **C.** 3rd Street, northbound, at Howard Street
- **D.** Howard Street, westbound, at Hawthorne Street
- E. Howard Street, westbound, at 2nd Street
- **F.** Howard Street, westbound, at 1st Street
- G. Fremont Street, northbound, at Howard Street (left and right turns)
- H. Beale Street, southbound, at Howard Street
- I. Howard Street, eastbound, at Beale Street
- J. Howard Street, westbound, at Main Street
- K. Howard Street, eastbound, at Spear Street
- **L.** Spear Street, northbound, at Howard Street
- M. Howard Street, eastbound, at Steuart Street
- **N.** Steuart Street, northbound, at Howard Street
- **O.** Howard Street, eastbound, at The Embarcadero

12(w). ESTABLISH – NO TURN ON RED, EXCEPT BICYCLES

Main Street, northbound, at Howard Street

12(x). ESTABLISH – RAISED CROSSWALK (ACROSS BIKEWAY)

- A. Howard Street, 230 feet east of 3rd Street
- **B.** Howard Street, 200 feet east of 2nd Street
- C. Howard Street, 360 feet east of 2nd Street
- **D.** Howard Street, 340 feet west of 1st Street
- **E.** Howard Street, 95 feet west of 1st Street
- **F.** Howard Street, 70 feet west of Fremont Street
- G. Howard Street, 80 feet west of Main Street
- H. Howard Street, 80 feet east of Main Street

12(y). ESTABLISH – TRAFFIC SIGNAL

Howard Street, 280 feet east of 2nd Street (midblock signal between 2nd Street and 1st Street for Transbay Terminal)

12(z). ESTABLISH – LEFT LANE MUST TURN LEFT

A. Howard Street, westbound, from 4th Street to 230 feet easterly (changes through-left lane to left only lane)

B. 3rd Street, northbound from Howard Street to 230 feet southerly (changes through-left lane to left only lane)

- **C.** Howard Street, westbound, from 2nd Street to 120 feet easterly
- D. Howard Street, westbound, from 1st Street to 116 feet easterly (dual left turn lanes)

E. Fremont Street, northbound, from Howard Street to 260 feet southerly (established second left turn only lane)



12(aa). ESTABLISH – TOW-AWAY, NO STOPPING ANY TIME ESTABLISH – SIDEWALK WIDENING

A. Howard Street, north side, from 84 feet to 179 feet west of New Montgomery Street (5-foot bulb)

- **B.** 1st Street, west side, from Howard Street to 30 feet southerly (5-foot bulb)
- **C.** 1st Street, east side, from Howard Street to 30 feet southerly (5-foot bulb)

12(bb). ESTABLISH – NO PARKING EXCEPT BICYCLES

Howard Street, north side, from 64 feet to 85 feet east of New Montgomery Street (bike hangar)

(Supervisor District 6) (Requires approval by the SFMTA Board) Elizabeth Chen, elizabeth.chen@sfmta.com

The Transbay Howard Streetscape Project will improve pedestrian and bicycle facilities provide new and upgraded traffic signals, prepare for future growth in the area, and improve the sense of safety for all users of the nearly one-mile-long project corridor.

Public Comments: Comments received in opposition and support during public hearing. Concerns raised regarding potential conflicts between two-way bicycle traffic and pedestrians/vehicle/shuttle bus traffic at Moscone Center. Question raised regarding possible signal infrastructure improvements with the proposed No Turn on Red restrictions. Concerns raised regarding possible impact to the walkability in the area. Concerns also raised regarding the reduction in the number of traffic lanes on Howard. Question also raised regarding effective hours of loading zone and bus zone usage. **Decision:** Noted approval path. Approved by the City Traffic Engineer to forward to the SFMTA Board for final approval and implementation.

GENERAL COMMENTS:

• Question raised regarding recent signal and striping changes at 19th and Sloat and whether they were SFMTA or Caltrans work.

Whether or not the City Traffic Engineer's decision is considered a Final SFMTA Decision is determined by Division II, Section 203 of the Transportation Code. If the City Traffic Engineer approves a parking or traffic modification, it is considered a Final SFMTA Decision. If the City Traffic Engineer disapproves or declines a parking or traffic modification, a member of the public must request additional review by the SFMTA of that decision which shall be conducted pursuant to Division II, Section 203 of the Transportation Code before the decision becomes a Final SFMTA Decision. Final SFMTA Decisions, whether made by the City Traffic Engineer or the SFMTA Board, can be reviewed by the Board of Supervisors pursuant to <u>Ordinance 127-18</u>. Decisions



reviewable by the Board of Supervisors are denoted with a pound (#). Information about the review process can be found at: <u>https://sfbos.org/sites/default/files/SFMTA_Action_Review_Info_Sheet.pdf</u>. For questions about any of these items, please contact the project staff listed and reference this order number.

電 311 (Outside SF 415.701.2311; TTY 415.701.2323) Free language assistance / 免費語言協助 / Аyuda gratis con el idioma / Бесплатная помощь переводчиков / Trợ giúp Thông dịch Miễn phí / Assistance linguistique gratuite / 無料の言語支援 / 무료 언어 지원 / Libreng tulong para sa wikang Filipino / การช่วยเหลือหางด้านภาษาโดยไม่เสียค่าใช้จ่าย / خط المساعدة المجاني على الرقم

Approved:

ROla

Ricardo Olea City Traffic Engineer

cc: Directive File

Date: February 9, 2024