SFMTA - TASC SUMMARY SHEET

PreStaff_Date	e: 10/3/2023		Public Hearing	Consent	No objections:					
Requested_b	•	X	Public Hearing	Regular	Item Held:					
Handled: Alis Section Head	on Mathews for SMR		Informational / 0	Other	Other:					
	Location: Diamond Heights Boulevard at Duncan Street (north)									
Location.		vaic	Tat Dullcan Street	(HOLLII)						
Subject:	Rectangular Rapid Flas	hing	Beacon							
ESTABLISH -	PROPOSAL / REQUEST: ESTABLISH – RECTANGULAR RAPID FLASHING BEACON (RRFB) Diamond Heights Boulevard at Duncan Street (north)									
(Supervisor Dis	strict 8)									
Alison Mathew	s, alison.mathews@sfmta	.com	ı							
This project will Boulevard and		lashi on w	ing Beacons (RRFBs		sswalks at Diamond Heights Walkfirst RRFB project based on					
					ossing with an existing marked restbound and southbound at the					
Not on the bike	network. Speed limit: 30 l	MPH								
There has beer intersection.	1 reported vehicle-pedes	trian	collision resulting in	a severe inj	ury in the past 5 years at the					
HEARING N	OTIFICATION AND PR	OCE	ESSING NOTES:		IMENTAL CLEARANCE BY: 「A ☑ Attached ☐ Pending					
CHECK IF PR	EPARING SEPARATE	SFI	MTA BOARD CAL	FNDAR IT	FM FOR PROPOSAL:					

FY21 Walkfirst RRFB Locations

RRFB Location



Cortland Avenue & Moultrie Street



Brotherhood Way at Alemany Boulevard and Sagamore Street



Diamond Heights Boulevard & Berkeley Way

4

San Bruno Avenue & Woolsey Street

5

Gough Street & Clay Street

6

Diamond Heights Blvd & Duncan St

7


Fulton Street & Clayton Street

8


Castro Street & Henry Street


9


Turk Boulevard & Willard North





А В	С	D	E	F	G	н		J		K		L		<i>I</i>	N	
										POL	E AND E(NT SC	HEDUL	PEDESTRIAN SIG	:NAI
							POLE No.	TYPE OF POLE LUMINAIRE TYPE	No.	TYPE	MOUNTING	VISORS	LOUVERS/BP	No.	TYPE	MOUNTING
							1	1-A (15')	22 61	1>	SIDE MOUNT					
		TWO WA	AY				2	(E) MARBELITE STREET LIGHT W/ 2 LUMINAIRE ARMS	23 63	1	SIDE MOUNT					
		1					3	ARMS 1-A (15')	21	1>	SIDE MOUNT					
									62		SIDE MOUNT					
		/	40	① 6 1	201	ILEVARD	4	(E) MARBELITE STREET LIGHT W/ 2 LUMINAIRE ARMS								
		1	22	TAMOND !	HEIGHTS BOY	01	GENE	RAL NOTES:								
				DIAMO			1. POLE	FOUNDATION TYPE TO DEPTH (REFERENCE ATTA	BE CONS	STRUCTED	BY SFPW FOR	RCES: 1-A	PER CTSF	ES-7B,	DATED 10/	30/2015,
4 4 4	~			X	63	4:	2. POLE	E AND OTHER TRAFFIC E	QUIPMEN					1TA.		
				23	<u> </u>		SHEE	T NOTES:								
				23				JSF TECHNOLOGIES AB-	-9407 S	OLAR DUA	AL SIDED RECT	ANGULAR	RAPID FLAS	SHING BE	ACON ASSEM	IBLY OR A
							<2 F/I	ASSEMBLY R62E(CA) AM	ND PEDE	STRIAN PU	JSH BUTTON (N POLE.				
				21	62											
		1111	111													
	\															
Å		5														
4		STREET														
N	\ \ \ \ \ \ \ \ 															
		CAN														
		DUNCAN			10 0	10 20										
*					SCALE IN F	EET										9
				ARTO COUNTY ON				DESIGNED BY: DATE:		OFESSIONAL SH M ROBSHE	SCALE 1"=10'					
D. DATE DES	CRIPTION	BY	APPROVED	THE COLUMN		SFN	ΛΤΑ	CHECKED BY: DATE: APPROVED BY: DATE:	Mo Solo	. 72472	SHEET OF SHEE	ITS	עות	MOND	НЕІСИТС	אווו פּאַ
ABLE OF REVISIONS HECKOUT DRAWING THROUGH THE SID CUSTODIAN FO		1 01	1	7 38 · 03610				DAIE.		OF CALIFORNIA	XX OF XX		DIE	AND	HEIGHTS DUNCAN	STREET















TransBASE Internal Dashboard

Geographic Extent: 22335000: DUNCAN ST at DIAMOND HEIGHTS BLVD Spatial Intersect: SFMTA Intersection Related (<=20ft or <=150ft if Rear End)

Data Range: 04/01/2018 to 03/31/2023

Pull Date: 9/5/2023

Collision/Party/Victim Table Showing 1 to 1 of 1 entries

Count of Fatal Collisions: 0

Count of Non-Fatal Injury Collisions: 1

Total Count of Fatal/Non-Fatal Injury Collisions: 1

Case ID	Collision Date	Collision Time	Day of Week	Primary Road	Secondary Road	Distance	Direction	Party 1 Type	Party 1 Direction of Travel	Party 1 Movement Preceeding Crash	Party 2 Type	Party 2 Direction of Travel	Party 2 Movement Preceeding Crash	Vehicle Code Violation	Highest Degree of Injury	Type of Collision	Motor Vehicle Involved With	Hit and Run	Road Surface	Road Condition	Lighting
200681707	11/11/2020	15:12	Wednesday	DIAMOND HEIGHTS BLVD	DUNCAN ST	18	West	Driver	East	Proceeding Straight	Pedestrian	North	Other	CVC 21950(a)	Injury (Severe)	Sideswipe	Pedestrian	Felony	Dry	No Unusual Condition/ Not Stated	Daylight

Summary: 1 injury collision involving a vehicle and pedestrian resulting in severe injury.

Mathews, Alison

From: Lee, Chadwick

Sent: Tuesday, October 18, 2022 4:12 PM

To: Jeff Rubin

Cc: Prager, Jackie (BOS); Ramos, Joel; Martinsen, Janet; Roback, Soroush

Subject: RE: Contact Us Submission - Supervisor Mandelman

Hi Jeff,

Thank you for your patience. I've received an update from staff. They've informed me the intersection is part of the Rectangular Rapid-Flashing Beacon (RRFB) project. It is currently under design and will be advertised in the Summer of 2023. My colleague, Soroush Roback will be able to assist you further if you wish to receive an update.

Thank you again for your on-going efforts advocating for safer street in San Francisco.

From: Jeff Rubin <jeffrubin58@gmail.com> **Sent:** Monday, October 17, 2022 2:25 PM

To: ConstituentRqst < ConstituentRqst@sfmta.com>

Cc: Bintliff, Jacob (BOS) <jacob.bintliff@sfgov.org>; Prager, Jackie (BOS) <jackie.prager@sfgov.org>; Ramos, Joel

<Joel.Ramos@sfmta.com>; Martinsen, Janet <Janet.Martinsen@sfmta.com>

Subject: Re: Contact Us Submission - Supervisor Mandelman

EXT

Mr Lee,

I have not heard back from anyone at SFMTA about this request. I wanted to follow up with you as well as ask if I could find out who was leading the review of the intersection. I would like to be in the loop if and when this comes up for public review.

Jeff Rubin

On Aug 19, 2022, at 11:15 AM, ConstituentRqst < constituentRqst@sfmta.com> wrote:

Thank you Jackie for connecting us with Mr. Rubin.

Good morning Jeff,

Thank you for contacting your Supervisor's office. We appreciate your efforts advocating safe street for pedestrians. I believe the intersection of Duncan and Diamond is currently being reviewed by my Traffic

Engineering colleagues. They understand this issue is important to the Supervisor and his community. Let me follow up with the team to see if they have an update to share regarding the evaluation. We appreciate your patience.

Thanks again for bringing the item back to everyone's attention. Please let me know if you have any additional questions.

Chadwick Lee

Senior Administrative Analyst **Government Affairs**



Office 415.646.4264

San Francisco Municipal Transportation Agency 1 South Van Ness Avenue, 7th floor San Francisco, CA 94103



From: Prager, Jackie (BOS) < <u>jackie.prager@sfgov.org</u>>

Sent: Friday, August 19, 2022 10:20 AM

To: jeffrubin58@gmail.com

Cc: ConstituentRqst <ConstituentRqst@sfmta.com>; Bintliff, Jacob (BOS) <jacob.bintliff@sfgov.org>

Subject: Re: Contact Us Submission - Supervisor Mandelman

Hi Jeff,

Thank you for reaching out to our office. I have copied SFMTA's constituent request team to inquire about whether or not there has been an assessment made on traffic calming at the locations mentioned.

Thank you,

Jackie Prager Legislative Aide Office of Supervisor Rafael Mandelman, District 8 jackie.prager@sfgov.org | 415-554-6986 Pronouns: she/her/hers

Here are the results.

Jeff Rubin

Dangerous Cross Walks in Diamond Heights

5072 Diamond Heights Blvd, Unit A, 94131

4156479201

jeffrubin58@gmail.com

I am inquiring about the proposal to put an additional stop sign at Carnelian Way. There is a bigger problem at the corner of Diamond Heights and Duncan near Clipper Cars do not stop for pedestrians. in addition to that people are constantly honking their horns either at the few cars that do stop or the pedestrians trying to cross. This would be a more appropriate place to add a three way stop. also a lighted crosswalk similar to the one on Diamond heights near the SafeWay would make it safer for pedestrians. Similarly a lighted Crosswalk on Clipper just around the corner would improve pedestrian Safety as well.

Sent via Google Form Notifications

This message is from outside of the SFMTA email system. Please review the email carefully before responding, clicking links, or opening attachments.

Mathews, Alison

From: Tsui, Eddie

Sent: Tuesday, October 18, 2022 9:04 AM **To:** Lee, Chadwick; Roback, Soroush

Cc: Ramos, Joel; Martinsen, Janet; Lam, Alvin

Subject: RE: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

Looping in Soroush who is handling the RRFB project.

Hi Soroush,

Is Diamond Heights/Duncan still included in the next RRFB project? Is there a status update?

Thanks,

Eddie

From: Lee, Chadwick < Chadwick.Lee@sfmta.com>

Sent: Monday, October 17, 2022 2:42 PM **To:** Tsui, Eddie <Eddie.Tsui@sfmta.com>

Cc: Ramos, Joel <Joel.Ramos@sfmta.com>; Martinsen, Janet <Janet.Martinsen@sfmta.com>; Lam, Alvin

<Alvin.Lam@sfmta.com>

Subject: RE: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

Hi Eddie,

The constituent reached out to me for an update regarding Diamond Height and Duncan safety improvement. I think we last discussed in August it was part of the RRFB project. Please let me know if there an update we can share with the constituent.

Thank you!

From: Tsui, Eddie < Eddie.Tsui@sfmta.com>
Sent: Friday, August 19, 2022 2:13 PM

To: Lee, Chadwick < Chadwick.Lee@sfmta.com>

Cc: Ramos, Joel < Joel.Ramos@sfmta.com >; Martinsen, Janet < Janet.Martinsen@sfmta.com >

Subject: RE: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

If I'm not mistaken, he was in attendance at the hearing this morning.

From: Lee, Chadwick < Chadwick.Lee@sfmta.com>

Sent: Friday, August 19, 2022 2:11 PM **To:** Tsui, Eddie < Eddie.Tsui@sfmta.com>

Cc: Ramos, Joel <Joel.Ramos@sfmta.com>; Martinsen, Janet <Janet.Martinsen@sfmta.com>

Subject: RE: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

Thanks Eddie for the update. I'll let the constituent know about the result of the hearing.

From: Tsui, Eddie < Eddie < Eddie.Tsui@sfmta.com>
Sent: Friday, August 19, 2022 1:31 PM

To: Lee, Chadwick < Chadwick.Lee@sfmta.com>

Cc: Ramos, Joel < <u>Joel.Ramos@sfmta.com</u>>; Martinsen, Janet < <u>Janet.Martinsen@sfmta.com</u>>

Subject: RE: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

Hi Chadwick,

STOP sign at Diamond Heights Blvd and Carnelian Way was heard at this morning's engineering public hearing. There were comments in support and no comments in opposition so it would most likely be approved by the City Traffic Engineer next week. Installation will follow but timeline is uncertain due to the shops' backlog.

A separate proposal from last year to reduce the speed limit on Diamond Heights Blvd is being packaged with other speed limit changes in the city and will be headed to the SFMTA Board soon (we don't have a specific meeting date yet). Diamond Heights/Duncan is on the list of candidate locations for the next RRFB project, but the project scope/list of locations have not been finalized yet.

We also received the same requests from Mr. Rubin and we are logging it in for engineering review. Please see attached.

Thanks,

Eddie

From: Lee, Chadwick < Chadwick.Lee@sfmta.com>

Sent: Friday, August 19, 2022 11:23 AM **To:** Tsui, Eddie < Eddie.Tsui@sfmta.com>

Cc: Ramos, Joel < <u>Joel.Ramos@sfmta.com</u>>; Martinsen, Janet < <u>Janet.Martinsen@sfmta.com</u>>

Subject: D8 Constituent Request Status of Evaluation of Diamond Height/Duncan

Hi Eddie,

There was a D8 constituent request for additional stop signs at Diamond and Carnelian Wy. However, he also mentioned a larger issue on Diamond and Duncan. I reviewed our issue tracking log and it appears Duncan & Diamond was/currently being reviewed by your team. Here's the latest notes I had on the item:

12/2021 - See Sept update - we provided update for the Sept meeting: speed limit reduction will be taken to MTAB as part of a larger package with other speed limit changes in the city. Also considering adding Rectangular Rapid Flashing Beacon (RRFB) as part of an upcoming project.

Is there an update the team can share?

Thanks!

From: ConstituentRqst < ConstituentRqst@sfmta.com>

Sent: Friday, August 19, 2022 11:16 AM

To: jeffrubin58@gmail.com

Cc: Bintliff, Jacob (BOS) < jacob.bintliff@sfgov.org>; Prager, Jackie (BOS) < jackie.prager@sfgov.org>; Ramos, Joel

<Joel.Ramos@sfmta.com>; Martinsen, Janet <Janet.Martinsen@sfmta.com>

Subject: RE: Contact Us Submission - Supervisor Mandelman

Thank you Jackie for connecting us with Mr. Rubin.

Good morning Jeff,

Thank you for contacting your Supervisor's office. We appreciate your efforts advocating safe street for pedestrians. I believe the intersection of Duncan and Diamond is currently being reviewed by my Traffic Engineering colleagues. They understand this issue is important to the Supervisor and his community. Let me follow up with the team to see if they have an update to share regarding the evaluation. We appreciate your patience.

Thanks again for bringing the item back to everyone's attention. Please let me know if you have any additional questions.

Chadwick Lee

Senior Administrative Analyst Government Affairs



Office 415.646.4264

San Francisco Municipal Transportation Agency 1 South Van Ness Avenue, 7th floor San Francisco, CA 94103



From: Prager, Jackie (BOS) < jackie.prager@sfgov.org>

Sent: Friday, August 19, 2022 10:20 AM

To: jeffrubin58@gmail.com

Cc: ConstituentRqst <ConstituentRqst@sfmta.com>; Bintliff, Jacob (BOS) <jacob.bintliff@sfgov.org>

Subject: Re: Contact Us Submission - Supervisor Mandelman

Hi Jeff,

Thank you for reaching out to our office. I have copied SFMTA's constituent request team to inquire about whether or not there has been an assessment made on traffic calming at the locations mentioned.

Thank you,

Jackie Prager
Legislative Aide
Office of Supervisor Rafael Mandelman, District 8
jackie.prager@sfgov.org | 415-554-6986

Pronouns: she/her/hers

Here are the results.

Jeff Rubin

Dangerous Cross Walks in Diamond Heights

5072 Diamond Heights Blvd, Unit A, 94131

4156479201

jeffrubin58@gmail.com

I am inquiring about the proposal to put an additional stop sign at Carnelian Way. There is a bigger problem at the corner of Diamond Heights and Duncan near Clipper Cars do not stop for pedestrians. in addition to that people are constantly honking their horns either at the few cars that do stop or the pedestrians trying to cross. This would be a more appropriate place to add a three way stop. also a lighted crosswalk similar to the one on Diamond heights near the SafeWay would make it safer for pedestrians. Similarly a lighted Crosswalk on Clipper just around the corner would improve pedestrian Safety as well.

Sent via Google Form Notifications

Mathews, Alison

From: Sent: To: Cc: Subject:	Betsy Eddy <betsy.eddy@gmail.com> Tuesday, May 25, 2021 9:32 AM Folks, Tom Mandelman, Rafael (BOS); Mundy, Erin (BOS); Sallaberry, Mike; Mike Kramer; Pooja Sabharwal; Roback, Soroush Re: Diamond Heights Boulevard and Berkeley Way</betsy.eddy@gmail.com>
EXT	
Hi Tom,	
Thank you for the u	pdate on means to protect pedestrians crossing Diamond Heights Blvd. at Berkeley Way.
Here are my comr	ments in bold . I have asked nearby neighbors of the crosswalk for their comments.
 Moving 30 You stated visibility of overstater see cars sproblem rable to sto south dire Install a flasigns in b 	an warning sign supplemented with a 150 feet distance on uphill side - sounds good miles per hour sign down the hill - sounds good it: I don't think a warning sign is needed for the southbound direction because of the excellent the crosswalk on that straight-away section. I think "excellent visibility" is an ment. This morning I stood at the crosswalk to cross from west to east. You cannot starting off down the road at Addison until they come farther down the hill. The emains that some drivers exceed the speed limit going down the hill and may not be op to avoid hitting pedestrians. I think a pedestrian warning sign is needed in the extion as well. I shing warning light at this intersection. I hope funding will be found for flashing warning oth directions.
Do the potential si	igns flash only when cars approach or pedestrians activate them?
Though MTA does traffic moving too	s not think the intersection needs STOP signs, STOP signs may be the only means to keep fast down the hill.
The DHCA and ne	earby neighbors do appreciate that MTA is making changes to make the crosswalk safer.
Gratefully,	

415-867-5774

Betsy Eddy

DHCA Co-President

On Mon, May 24, 2021 at 5:05 PM Folks, Tom < <u>Tom.Folks@sfmta.com</u> > wrote:
Hi Betsy,
I'm following up on your concerns about the new crosswalk at Berkeley Way and Diamond Heights Boulevard.
As a near term measure, I am recommending that we replace the 30 MPH sign in the northbound direction
near this crosswalk with a pedestrian warning sign supplemented with a 150 feet distance plate to warn drivers of the proximity of this crosswalk as they are approaching it going up the hill. The 30 MPH sign would be
located further down the hill so that it comes before the existing 25 MPH curve warning sign. We do not want drivers to think that they should increase their speed right after the 25 MPH sign before approaching the crosswalk.
Crosswark.
I don't think a warning sign is needed for the southbound direction because of the excellent visibility of the
crosswalk on that straight-away section. The aforementioned sign changes have been written up in a work order and submitted to our Sign Shop to be completed as soon as their scheduling permits.
I have also copied other SFMTA staff members to consider the possibility of programming funds to install a
flashing warning light at this intersection. Due to limited funding, we are unable to install warning lights at all potential locations. This intersection would have to be considered in relation to the other candidate locations
on a priority basis.
Although we can also appreciate the suggestion to install STOP signs at this intersection, we feel that would
not be the proper form of traffic control for a street like Diamond Heights Boulevard at an intersection with infrequent pedestrian crossings.
We appreciate your concerns about the safety of this intersection and thank you for contacting the City.
Sincerely,
Thomas Folks
Senior Engineer



49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103 628.652.7600 www.sfplanning.org

CEQA Exemption Determination

PROPERTY INFORMATION/PROJECT DESCRIPTION

Proje	ct Address		Block/Lot(s)						
SFMT	A_WalkFirst Rectang	ular Rapid Flashing Beacon Installation Fiscal							
Case	No.		Permit No.						
2023-	006660ENV								
Ad	dition/	Demolition (requires HRE for	New						
Alt	eration	Category B Building)	Construction						
The S Beacc install Alema Castro and D new F select	Project description for Planning Department approval. The San Francisco Municipal Transportation Agency (SFMTA) proposes to install new Rectangular Rapid Flashing Beacons (RRFBs) at nine intersections across San Francisco to improve pedestrian safety. RRFBs would be installed at the intersections of San Bruno Avenue at Woolsey Street, Brotherhood Way at Sagamore Street and Alemany Boulevard, Gough Street at Clay Street, Fulton Street at Clayton Street, Turk Boulevard at Willard North, Castro Street at Henry Street, Diamond Heights Boulevard at Duncan Street, Cortland Avenue at Moultrie Street, and Diamond Heights Boulevard at Berkeley Way. The proposed project (project) would involve the installation of new RRFB signal poles and foundations, pull boxes, and conduits. The project would also upgrade curb ramps in select locations, in addition to grade adjustment for select existing stormwater catch basins. Full project description attached below.								
	1: EXEMPTION TYPE	E rmined to be exempt under the California En	vironmental Quality Act (CEQA).						
	Class 1 - Existing F	acilities. Interior and exterior alterations; additi	ons under 10,000 sq. ft.						
		struction. Up to three new single-family residen ructures; utility extensions; change of use unde	· · · · · · · · · · · · · · · · · · ·						
	Class 32 - In-Fill Development. New Construction of seven or more units or additions greater than 10,000 sq. ft. and meets the conditions described below: (a) The project is consistent with the applicable general plan designation and all applicable general plan policies as well as with applicable zoning designation and regulations. (b) The proposed development occurs within city limits on a project site of no more than 5 acres substantially surrounded by urban uses. (c) The project site has no value as habitat for endangered rare or threatened species. (d) Approval of the project would not result in any significant effects relating to traffic, noise, air quality, or water quality. (e) The site can be adequately served by all required utilities and public services. FOR ENVIRONMENTAL PLANNING USE ONLY Other								
_									
		temption (CEQA Guidelines section 15061(b) ty of a significant effect on the environment. For	• ••						

STEP 2: ENVIRONMENTAL SCREENING ASSESSMENT TO BE COMPLETED BY PROJECT PLANNER

	Air Quality: Would the project add new sensitive receptors (specifically, schools, day care facilities, hospitals, residential dwellings, and senior-care facilities within an Air Pollution Exposure Zone? Does the project have the potential to emit substantial pollutant concentrations (e.g. use of diesel construction equipment, backup diesel generators, heavy industry, diesel trucks, etc.)? (refer to The Environmental Information tab on the https://sfplanninggis.org/pim/)
	Hazardous Materials: If the project site is located on the Maher map or is suspected of containing hazardous materials (based on a previous use such as gas station, auto repair, dry cleaners, or heavy manufacturing, or a site with underground storage tanks): Would the project involve 50 cubic yards or more of soil disturbance - or a change of use from industrial to residential? Note that a categorical exemption shall not be issued for a project located on the Cortese List if box is checked, note below whether the applicant has enrolled in or received a waiver from the San Francisco Department of Public Health (DPH) Maher program, or if Environmental Planning staff has determined that hazardous material effects would be less than significant. (refer to The Environmental Information tab on the https://sfplanninggis.org/pim/)
	Transportation: Does the project involve a child care facility or school with 30 or more students, or a location 1,500 sq. ft. or greater? Does the project have the potential to adversely affect transit, pedestrian and/or bicycle safety (hazards) or the adequacy of nearby transit, pedestrian and/or bicycle facilities?
	Archeological Resources: Would the project result in soil disturbance/modification greater than two (2) feet below grade in an archeological sensitive area or eight (8) feet in a non-archeological sensitive area? If yes, archeology review is required.
	Subdivision/Lot Line Adjustment: Does the project site involve a subdivision or lot line adjustment on a lot with a slope average of 20% or more? (refer to The Environmental Information tab on the https://sfplanninggis.org/pim/) If box is checked. Environmental Planning must issue the exemption.
	Average Slope of Parcel = or > 25%, or site is in Edgehill Slope Protection Area or Northwest Mt. Sutro Slope Protection Area: Does the project involve any of the following: (1) New building construction, except one-story storage or utility occupancy, (2) horizontal additions, if the footprint area increases more than 50%, or (3) horizontal and vertical additions increase more than 500 square feet of new projected roof area? (refer to The Environmental Planning tab on the https://sfplanninggis.org/pim/) If box is checked, a geotechnical report is likely required and Environmental Planning must issue the exemption.
	Seismic Hazard: Landslide or Liquefaction Hazard Zone: Does the project involve any of the following: (1) New building construction, except one-story storage or utility occupancy, (2) horizontal additions, if the footprint area increases more than 50%, (3) horizontal and vertical additions increase more than 500 square feet of new projected roof area, or (4) grading performed at a site in the landslide hazard zone? (refer to The Environmental tab on the https://sfplanninggis.org/pim/) If box is checked, a geotechnical report is required and Environmental Planning must issue the exemption.
Com	ments and Planner Signature (optional): Jennifer M Barbour Mckellar
PLEA	ASE SEE ATTACHED

_	P 3: PROPERTY STATUS - HISTORIC RESOURCE BE COMPLETED BY PROJECT PLANNER						
	PERTY IS ONE OF THE FOLLOWING: (refer to Property Information	on Map)					
	Category A: Known Historical Resource. GO TO STEP 5.						
	Category B: Potential Historical Resource (over 45 years of age). GO TO STEP 4.						
	Category C: Not a Historical Resource or Not Age Eligible (und	ler 45 years of age). GO TO STEP 6.					
	P 4: PROPOSED WORK CHECKLIST BE COMPLETED BY PROJECT PLANNER						
	k all that apply to the project.						
	Change of use and new construction. Tenant improvement	s not included.					
	Regular maintenance or repair to correct or repair deteriora	tion, decay, or damage to building.					
	Window replacement that meets the Department's Window storefront window alterations.	Replacement Standards. Does not include					
	4. Garage work. A new opening that meets the <i>Guidelines for A</i> replacement of a garage door in an existing opening that meets						
	5. Deck, terrace construction, or fences not visible from any in	mmediately adjacent public right-of-way.					
	Mechanical equipment installation that is not visible from a right-of-way.	ny immediately adjacent public					
	7. Dormer installation that meets the requirements for exemption <i>Administrator Bulletin No. 3: Dormer Windows</i> .	ion from public notification under Zoning					
	8. Addition(s) that are not visible from any immediately adjacent public right-of-way for 150 feet in each direction; does not extend vertically beyond the floor level of the top story of the structure or is only a						
Note:	Project Planner must check box below before proceeding.	· ·					
	Project is not listed. GO TO STEP 5.						
	Project does not conform to the scopes of work. GO TO STEP	5.					
	Project involves four or more work descriptions. GO TO STEP	5.					
	Project involves less than four work descriptions. GO TO STER	P 6.					
	EP 5: ADVANCED HISTORICAL REVIEW BE COMPLETED BY PRESERVATION PLANNER						
	ck all that apply to the project.						
	1. Reclassification of property status. (Attach HRER Part I)						
	Reclassify to Category A	Reclassify to Category C					
	a. Per HRER	(No further historic review)					
	b. Other (specify):						
	Project involves a known historical resource (CEQA Catego conforms entirely to proposed work checklist in Step 4.	ory A) as determined by Step 3 and					
	Interior alterations to publicly accessible spaces that do n defining features.	not remove, alter, or obscure character					
	Window replacement of original/historic windows that are not "in-kind" but are consistent with existing historic character.						
	5. Façade/storefront alterations that do not remove, alter, or o	bscure character-defining features.					

	 Raising the building in a manner that does not remove, alter, or obscure character-defining features. 							
	7. Restoration based upon documented evidence of a building's historic condition, such as historic photographs, plans, physical evidence, or similar buildings.							
	8. Work consistent with the Secretary of the Interior Standards for the Treatment of Historic Properties (Analysis required):							
	Work compatible with a historic district (Analysis required):							
П	10. Work that would not materially impair a historic resource (A	Attach HRER Part II).						
	Note: If ANY box in STEP 5 above is checked, a Prese	·						
	Project can proceed with exemption review. The project has be	-						
	Preservation Planner and can proceed with exemption review. G							
Comm	nents (optional):							
Presei	rvation Planner Signature:							
STE	EP 6: EXEMPTION DETERMINATION							
	BE COMPLETED BY PROJECT PLANNER							
	No further environmental review is required. The project is ex							
	unusual circumstances that would result in a reasonable pos	sibility of a significant effect.						
	Project Approval Action:	Signature:						
	City Traffic Engineer's Directive	Jennifer M Barbour Mckellar						
		08/18/2023						
	Supporting documents are available for review on the San Francisco Property Information Map, which can be accessed at https://sfplanninggis.org/pim/. Individual files can be viewed by clicking on the Planning Applications link, clicking the "More Details" link under the project's environmental record number (ENV) and then clicking on the "Related Documents" link.							
	Once signed and dated, this document constitutes an exemption pursuant to CEQA Guidelines and Chapter 31 of the SF Admin Code. Per Chapter 31, an appeal of an exemption determination to the Board of Supervisors shall be filed within 30 days after the Approval Action occurs at a noticed public hearing, or within 30 days after posting on the Planning Department's website a written decision or written notice of the Approval Action, if the approval is							

not made at a noticed public hearing.

Step 2: Environmental Screening Comments

The proposed project meets the definition of a class 1 (CEQA Guidelines section 15301) categorical exemption, as a minor alteration of an existing public structure, because it would install new Rectangular Rapid Flashing Beacons (RRFBs) to improve pedestrian visibility and safety at nine intersections across San Francisco.

San Francisco Public Works Standard Construction Measures would be implemented, as applicable, as part of the project: (1) Seismic and Geotechnical Studies; (2) Air Quality; (3) Water Quality; (4) Traffic; (5) Noise; (6) Hazardous Materials; (7) Biological Resources; (8) Visual and Aesthetic Considerations (Project Site); and (9) Cultural Resources: Archeological Resources (Public Works Standard Archeological Measure I: Discovery during Construction) and Historic (Built Environment) Resources. Project-related physical environmental impacts would be less than significant.

None of the CEQA Guidelines section 15300.2 exceptions apply to the proposed project.

STEP 7: MODIFICATION OF A CEQA EXEMPT PROJECT

TO BE COMPLETED BY PROJECT PLANNER

In accordance with Chapter 31 of the San Francisco Administrative Code, when a California Environmental Quality Act (CEQA) exempt project changes after the Approval Action and requires a subsequent approval, the Environmental Review Officer (or his or her designee) must determine whether the proposed change constitutes a substantial modification of that project. This checklist shall be used to determine whether the proposed changes to the approved project would constitute a "substantial modification" and, therefore, be subject to additional environmental review pursuant to CEQA.

MODIFIED PROJECT DESCRIPTION

Modii	fied Project Description:						
DET	TERMINATION IF PROJECT (CONSTITUTES SUBSTANTIAL MODIFICATION					
Com	pared to the approved project, we	ould the modified project:					
	Result in expansion of the build	ding envelope, as defined in the Planning Code;					
	Result in the change of use that would require public notice under Planning Code Sections 311 or 312;						
	Result in demolition as defined	under Planning Code Section 317 or 19005(f)?					
	Is any information being presented that was not known and could not have been known at the time of the original determination, that shows the originally approved project may no longer qualify for the exemption?						
If at I	east one of the above boxes is	checked, further environmental review is required					
DET	ERMINATION OF NO SUBSTAN	TIAL MODIFICATION					
	The proposed modification wor	uld not result in any of the above changes.					
approvi Departi accorda	f this box is checked, the proposed modifications are exempt under CEQA, in accordance with prior project approval and no additional environmental review is required. This determination shall be posted on the Planning Department website and office and mailed to the applicant, City approving entities, and anyone requesting written notice. In accordance with Chapter 31, Sec 31.08j of the San Francisco Administrative Code, an appeal of this determination can be filed to the Environmental Review Officer within 10 days of posting of this determination.						
Planı	ner Name:	Date:					



Date: August 18, 2023

To: Jennifer McKellar, San Francisco Planning Department

From: Alison Mathews, San Francisco Municipal Transportation Agency
Through: Forrest Chamberlain, San Francisco Municipal Transportation Agency

Re: WalkFirst Rectangular Rapid Flashing Beacon Installation Fiscal Year 2021

Case No.: 2023-006660ENV

Project Description

The San Francisco Municipal Transportation Agency (SFMTA) proposes to install new Rectangular Rapid Flashing Beacons (RRFBs) at nine intersections across San Francisco to improve pedestrian safety by alerting divers that pedestrians are crossing the street. RRFBs would be installed at the intersections of San Bruno Avenue at Woolsey Street, Brotherhood Way at Sagamore Street and Alemany Boulevard, Gough Street at Clay Street, Fulton Street at Clayton Street, Turk Boulevard at Willard North, Castro Street at Henry Street, Diamond Heights Boulevard at Duncan Street, Cortland Avenue at Moultrie Street, and Diamond Heights Boulevard at Berkeley Way. The proposed project (project) would involve the installation of new RRFB signal poles and foundations, pull boxes, and conduits. The project would also upgrade curb ramps in select locations, in addition to grade adjustment for select existing stormwater catch basins.

At the intersection of San Bruno Avenue and Woolsey Street, one new RRFB signal pole would be installed on each corner (four new poles in total). One existing curb ramp on the northeast corner of the intersection would be upgraded.

At the intersection of Brotherhood Way at Sagamore Street and Alemany Boulevard, one new RRFB pole would be installed along the eastern side and one new RRFB signal pole would be installed on the western side on the median island (two new poles in total). One new pedestrian push button pole would be installed on the eastern side of the intersection. Partial curb ramp wing reconstruction would occur for two curb ramps.

At the intersection of Gough Street and Clay Street, one new RRFB signal pole would be installed at three of the four corners (three new poles in total). No new RRFB signal pole would be installed at the northwest corner of the intersection.

At the intersection of Fulton Street and Clayton Street, one new RRFB signal pole would be installed at

the northeast corner and one new RRFB signal pole would be installed at the southeast corner (two new poles in total). One streetlight pole would be installed on the southeast corner of the intersection, and one pedestrian push button pole would be installed on the northwest corner of the intersection.

At the intersection of Turk Boulevard and Willard North, one new RRFB signal pole would be installed at the northeast corner.

At the intersection of Castro Street and Henry Street, one new RRFB signal pole would be installed at the northeast corner.

At the intersection of Diamond Heights Boulevard and Duncan Street, one new RRFB signal pole would be installed at the northeast corner and one new RRFB signal pole would be installed at the southeast corner (two new poles in total). One dual streetlight pole would be installed within the median of the intersection.

At the intersection of Cortland Avenue and Moultrie Street, one new RRFB signal pole would be installed at the southwest corner. Curb ramps would be reconstructed on the northeast corner of the intersection. Two existing on-street metered parking spaces (approximately 20 feet each in length) would be removed to improve visibility of the new RRFBs.

At the intersection of Diamond Heights Boulevard and Berkeley Way, one new RRFB signal pole would be installed at the southwest corner and one new RRFB signal pole would be installed at the southeast corner (two new poles in total). Partial curb ramp reconstruction would occur for one curb ramp on the southwest corner of the intersection.

Table 1 – Detailed Excavation Information Per Component

Component/Location	Excavation Depth (Feet)	Excavation Diameter (Feet-Inches)	Excavation (Cubic Yards)					
San Bruno Avenue and Woolsey Street Interse	ection							
One 1-A (15') signal pole adjacent to the crosswalk on the northwest corner	6′	2'6"	1.09					
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6′	2′6″	1.09					
One 1-A (15') signal pole adjacent to the crosswalk on the southwest corner	6′	2'6"	1.09					
One 1-A (15') signal pole adjacent to the crosswalk on the southeast corner	6′	2'6"	1.09					
Brotherhood Way at Sagamore Street and Alemany Boulevard Intersection								
One 1-A (15') signal pole on a median island adjacent to the west side of the crosswalk	6′	2'6"	1.09					

Component/Location	Excavation Depth (Feet)	Excavation Diameter (Feet-Inches)	Excavation (Cubic Yards)
One 1-A (15') signal pole on the sidewalk in advance of the crosswalk on the east side of the intersection	6'	2'6"	1.09
One pedestrian push button pole on the sidewalk adjacent to east side of the crosswalk	1′6″	1′6″	.10
Gough Street and Clay Street Intersection		·	
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6′	2'6"	1.09
One 1-A (15') signal pole adjacent to the crosswalk on the southwest corner	6′	2′6″	1.09
One 1-A (15') signal pole adjacent to the crosswalk on the southeast corner	6′	2'6"	1.09
Fulton Street and Clayton Street Intersection			
One pedestrian push button pole adjacent to the crosswalk on the northwest corner	1′6″	1′6″	.10
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6'	2'6"	1.09
One 1-A (15') signal pole near the crosswalk on the southeast corner	6′	2'6"	1.09
One streetlight pole adjacent to the crosswalk on the southeast corner	9′	2'6"	1.64
Turk Boulevard and Willard North Intersection	า		
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6′	2'6"	1.09
Castro Street and Henry Street Intersection			
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6′	2'6"	1.09
Diamond Heights Boulevard and Duncan Stre	et Intersection		
One 1-A (15') signal pole adjacent to the crosswalk on the northeast corner	6′	2'6"	1.09
One 1-A (15') signal pole adjacent to the crosswalk on the southeast corner	6′	2'6"	1.09
One dual streetlight pole within the median on the east side of the intersection	9'	2'6"	1.64
Cortland Avenue and Moultrie Street Intersec	tion		

Component/Location	Excavation Depth (Feet)	Excavation Diameter	Excavation (Cubic Yards)
	• ` ,	(Feet-Inches)	,
One 1-A (15') signal pole adjacent to the crosswalk on the southwest corner	6'	2'6"	1.09
Diamond Heights Boulevard and Berkeley Way Intersection			
One 1-A (15') signal pole adjacent to the crosswalk on the southwest corner	6'	2'6"	1.09
One 1-A (15') signal pole adjacent to the crosswalk on the southeast corner	6'	2'6"	1.09

The following proposed project locations are adjacent to historic resources:

- Gough/Clay streets intersection (historic buildings on adjacent block/lots 0617/008-010)
- Castro/Henry streets intersection (historic building on adjacent block/lot 3540/092)
- Diamond Heights Boulevard/Duncan Street intersection (historic buildings on adjacent block/lots 7515A/001-012 and 7504A/005-018; these buildings comprise part of the Diamond Heights Historic District)

The proposed work would be carried out by SFMTA and San Francisco Public Works crews, in addition to a licensed contractor managed by San Francisco Public Works with funding/oversight from SFMTA. Construction is anticipated to last approximately three months at each intersection. San Francisco Public Works Standard Construction Measures would be implemented, as applicable, as part of the project: (1) Seismic and Geotechnical Studies; (2) Air Quality; (3) Water Quality; (4) Traffic; (5) Noise; (6) Hazardous Materials; (7) Biological Resources; (8) Visual and Aesthetic Considerations (Project Site); and (9) Cultural Resources: Archeological Resources (Public Works Standard Archeological Measure I: Discovery during Construction) and Historic (Built Environment) Resources. Contractors would use concrete saws and jackhammers but no pile-drivers. The project would not result in the removal of any existing trees or on-street loading spaces.

There are no past, present or reasonably foreseeable projects within the vicinity of each of the proposed project sites that would combine with the project to result in a cumulative impact.

Attachments

Attachment A: WalkFirst FY21 Rectangular Rapid Flashing Beacon Location Map

Attachment B: Site Plans

Approval Action

The project would be approved by the City Traffic Engineer's Directive, which does not occur at a noticed public hearing. Therefore, as defined by San Francisco Administrative Code Chapter 31, Sections 31.04(h)(2) and 31.08(g), the Approval Action for the purpose of CEQA would be the posting of the date of the Engineer's Directive on the Planning Department website. The Approval Action starts the 30-day exemption appeal period.

San Francisco Municipal Transportation Agency

1 South Van Ness Avenue, 7th Floor

San Francisco, CA 94103

SFMTA.com