## STRATEGIC PLAN METRICS REPORT | May 2016



Section control from the Shoot    1	ID Metric	Target	FY12 Avg	FY13 Avg	FY14 Avg	FY15 Avg	FY16 Avg	Mar 2015	Apr 2015	May 2015	Jun 2015	Jul 2015	Aug 2015	Sep 2015	Oct 2015	Nov 2015	Dec 2015	Jan 2016	Feb 2016	Mar 2016	Apr 2016	Monthly Trend
A	Goal 1: Create a safer transportation experience for everyone	e																				
A	' ' '																					
122		3.1	3.8	7.6	9.4	8.2	6.8	9.2	7.3	7.3	7.5	6.9	6.4	7.9	6.4	6.8	6.2	7.6	6.3			\
132   Control ring Sector of Section (designation performs withing agreement performs and	Customer rating: Security of transit riding experience (while on a Muni vehicle); scale of 1		5.0														0.0					
1.3   1970	Customer rating: Security of transit riding experience (while waiting at a Muni stop or				3.1	3.2	3.2	3.2		3.2			3.2			3.2			3.2			
1.14			3	4	4	37	41	35	26	43	36	36	46	36	63	30	36	43				~~~
Display   Disp			41.6	36	29	37	29		41	29	43	30	32	30	22	27	33	31	20	25	35	~~~
1.3.1   Marchae review (200000 beaus   1.3.1   1.3.2   1.3.8   1.3.0   1.3.1   1.3.2   1.3.8   1.3.0   1.3.1   1.3.2   1.3.8   1.3.0   1.3.1   1.3.2   1.3.8   1.3.0   1.3.1   1.3.2   1.3.8   1.3.0   1.3.2   1.3.1   1.3.2   1.3.8   1.3.0   1.3.2   1.3.1   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.1   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.0   1.3.2   1.3.8   1.3.2   1.3.2   1.3.2   1.3.2   1.3.2   1.3.3   1.3.2   1.3.2   1.3.3	7 7.		41.0	30	23	3,	23	45			-13	30	32	30			33	31	20	- 23	33	
123   20   20   20   20   20   20   20		12 1	16.2	13.8	12.0	11.0	1/16	0.5	10.5	10.1	12.5	11 2	13.9	10.0	1/1.6	10.1	15.2	11.5	15.5	1/1 7		~^^
1,23   Section of the content in the part of the		13.1																	1		10	-~^
12.4			11.5				13	Ŭ					Ü	10	13	13		23			-10	~
1.3.1   Many continues with Configuration of the																						
1.3.1   Many continues with Configuration of the	Objective 1.3: Improve the safety of the transportation system																					
1.1.1.2   Collation recovery excessions   1.2.25   Collation (College Service)   1.2.25   College Service)		4.1	5.0	5.2	5.9	6.4	6.4	7.2	6.4	6.7	5.9	6.5	5.7	6.9	6.3	7.1	6.4	5.6	6.2	6.9		~~~
1.31   Column remoting table				3.2	3.3	0.4	0.4		0.4	0.,	3.3	0.5	3.7	0.5	0.5	7.1	0.4	5.0	0.2	0.5		- · · ·
13.1   March the new north/1/1/1/20 miles**   4.7   3.9   4.3   4.2   4.3   4.8   3.9   4.2   3.5   3.8   4.1   4.0   4.6   4.2   4.0   5.0   4.4																						
1.34				3.9	4.3	4.2	4.3	4.8	3.9	4.2	3.5	3.8	4.1	4.0	4.6	4.6	4.2	4.0	5.0	4.4		~~~
1.3.2	The state of the s																				175	~~~
Dispetitive 2.1: Improve customer service and communications:																						
2.1.1   Conformer rating Overall customer satisfaction with transit services; scale of 1 (low) to 5   2.5   2.7   2.9   2.7   2.8   2.9   3.0	Goal 2: Make transit, walking, bicycling, taxi, ridesharing & ca	rsharin	g the pref	erred me	ans of trav	/el																
2.1.1   Conformer rating Overall customer satisfaction with transit services; scale of 1 (low) to 5   2.5   2.7   2.9   2.7   2.8   2.9   3.0	Objective 2.1: Improve customer service and communications																					
2.1.2 (Locationer rating: Overall customer satisfaction with the an availability; scale of 1 (low) to 5   2.8   2.9   2.9   3.0   2.9   2.9   2.8   2.9   2.9   2.8   2.9   2.9   2.8   2.9   2.9   2.8   2.9   2.9   2.8   2.9   2.9   2.8   2.8   2.9   2.8   2.8   2.9   2.8   2.9   2.8   2.8   2.9   2.8   2.8   2.9   2.8   2.8   2.9   2.8   2.8   2.9   2.8   2.8   2.5   2.	Customer rating: Overall customer satisfaction with transit services; scale of 1 (low) to 5	3.5			3.0	3.1	3.2	3.0		3.1			3.2			3.2			3.2			
28					2.5	2.7	2.9	2.7		2.8			2.9			3.0			3.0			
2.1.4	Customer rating: Overall customer satisfaction with bicycle network; scale of 1 (low) to 5				2.8	2.9	2.9	3.0		2.9			2.9			2.8			2.9			
2.8 2.8 2.9 2.8 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9	12.1.4				3.5	3.3	3.2	3.1		3.4			3.2			3.4			3.1			
21.61   Percentage of color cub requests addressed within 30 days   86.4%   93.3%   93.6%   69.9%   96.4%   84.7%   89.7%   91.3%   94.3%   94.6%   94.7%   94.4%   95.3%   95.1%   97.6%   97.6%   97.8%   99.0%   90.0%	Customer rating: Satisfaction with communications to passengers; scale of 1 (low) to 5				2.8	2.8	2.9	2.8		2.8			2.9			2.9			2.9			
Percentage of parking meter malfunctions addressed within 48 hours	2.1.6 Percentage of color curb requests addressed within 30 days		86.4%	93.3%	93.6%	69.9%	96.4%	84.7%	89.7%	91.3%	94.3%	94.6%	94.7%	94.4%	95.3%	98.7%	95.1%	97.6%	97.8%	99.0%		
2.1.6 Percentage of traffic and parking control requests addressed within 90 days  2.1.6 Percentage of traffic and parking control requests addressed within 90 days  2.1.6 Percentage of activated be 11 Muni operator conduct complaints addressed within 2 hours  2.1.6 Percentage of activated be 11 Muni operator conduct complaints addressed within 2 hours  2.1.7 Percentage of activated be 11 Muni operator conduct complaints addressed within 2 hours  2.1.8 Customer rating: cleanliness of Muni radiatives; (stations, elevators, escalators); scale of 1 (low) to 5 (high)  2.7 2.7 2.9 2.7 2.9 2.7  2.8 2.8 2.9  2.9 Customer rating: cleanliness of Muni radiatives; (stations, elevators, escalators); scale of 1 (low) to 5 (high)  2.1.8 Customer rating: cleanliness of Muni radiatives; (stations, elevators, escalators); scale of 1 (low) to 5 (high)  2.7 2.7 2.9 2.7 2.9 2.7  2.8 2.8 2.9  2.9 Cobjective 2.2: Improve transit performance  2.1.1 Percentage of transit trips with +2 min bunching on Rapid Network  2.1.2 Percentage of transit trips with +5 min gaps on Rapid Network  2.1.2 Percentage of transit trips with +5 min gaps on Rapid Network  2.1.2 Percentage of on-time performance of non-Rapid Network routes'  85% 6.11% 99.9% 99.6% 99.3% 99.3% 99.3% 99.5%	2.1.6 Percentage of hazardous traffic sign reports addressed within 24 hours		99.0%	100.0%	99.5%	98.0%	98.6%	100.0%	100.0%	100.0%	94.7%	100.0%	92.6%	96.2%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	~~
2.1.6 Percentage of traffic signal requests addressed within 2 hours  97.0% 96.9% 96.8% 96.8% 97.3% 96.8% 98.1% 98.1% 98.1% 98.1% 99.2% 100.0% 97.7% 94.0% 99.3% 96.8% 97.5% 96.9% 97.0% 97.8% 97.5% 96.8% 97.5% 96.8% 97.5% 97.5% 96.8% 97.5% 97.5% 96.8% 97.5% 98.8% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 98.1% 99.2% 100.0% 97.7% 94.0% 99.3% 96.8% 97.5% 96.8% 97.5% 94.3% 52.0% 94.3% 94.0% 94.3% 52.0% 94.3% 52.0% 94.3% 94.0% 94.3% 52.0% 94.3% 94.0% 94.3% 94.0% 94.3%			85.0%						55.4%		82.5%	84.5%		84.4%	87.6%		71.3%			87.9%		
2.1.7 Percentage of actionable 311 Muni operator conduct complaints addressed within 28 business davs' business							00.010							,								
Susiness davs   Susiness dav	Described of the self-self-self-self-self-self-self-self-																				97.5%	~~~
2.19 Customer rating: cleanlines of Munt facilities (stations, elevators, exalators); scale of 1	business davs		34.270	33.370					32.270		03.370	77.570		70.770	32.070		31.0%	31.370		32.070		~ ~
Comparison   Com					2.7	2.7	2.9	2.7		2.8			2.8			2.9			2.9			
Objective 2.2: Improve transit performance    Percentage of transit trips with < 2 min bunching on Rapid Network   2.1%   3.9%   4.0%   4.0%   4.8%   5.3%   4.6%   4.5%   5.1%   5.1%   4.9%   6.1%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   4.4%   4.7%   5.7%   5.2%   5.3%   5.7%   5.0%   5.1%   5.5%   5.5%   5.5%   5.5%   5.5%   5.5%   5.5%   5.5%   5.5%   5.2%   5.3%   5.7%   5.0%   5.7%   5.0%   5.7%   5.0%   5.2%   5.3%   5.7%   5.0%   5.2%   5.3%   5.7%   5.0%   5.2%   5.3%   5.7%   5.0%   5.2%   5.3%   5.7%   5.0%   5.2%   5.3%   5.2%   5.2%   5.3%   5.2%   5.2%   5.3%   5.2%   5.2%   5.2%   5.3%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%   5.2%	1219				2.6	2.6	2.5	2.5		2.5			2.5			2.6			2.5			
2.2.1 Percentage of transit trips with <2 min bunching on Rapid Network  2.1% 3.9% 4.0% 4.0% 4.8% 5.3% 4.6% 5.1% 5.1% 4.9% 6.1% 6.4% 5.2% 5.3% 5.7% 5.0% 4.4% 4.7% 5.7%  2.2.1 Percentage of transit trips with +5 min gaps on Rapid Network  10.7% 19.5% 17.8% 18.6% 17.2% 17.0% 16.1% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 15.6% 16.1% 16.2% 16.3% 16.2% 16.3% 16.2% 16.3% 16	Objective 2.2: Improve transit performance																					
Percentage of unsit trips with 1 5 min gaps on Rapid Network  10.7% 19.5% 17.8% 18.6% 17.2% 17.0% 16.1% 15.6% 15.6% 15.6% 14.9% 15.8% 16.1% 16.2% 16.8% 19.5% 18.6% 17.7% 17.7% 16.1% 15.6		2.1%	3.9%	4.0%	4.0%	4.8%	5.3%	4.6%	4.6%	5.1%	5.1%	4.9%	6.1%	6.4%	5.2%	5.3%	5.7%	5.0%	4.4%	4.7%	5.7%	~~
2.2.2 Percentage of on-time performance for non-Rapid Network routes' 85% 61.1% 59.9% 59.6% 57.4% 60.6% 59.2% 59.4% 60.1% 59.5% 59.6% 59.1% 58.6% 61.5% 63.3% 60.3% 61.2% 60.7% 62.0% 60.8% 22.3 Percentage of system departures from terminals' 85% 76.9% 73.7% 73.9% 72.2% 75.0% 74.0% 74.4% 74.6% 74.1% 74.3% 73.9% 73.6% 74.4% 75.6% 74.1% 74.3% 73.9% 73.6% 74.4% 75.6% 74.1% 74.3% 73.9% 73.6% 74.4% 75.6% 74.1% 74.3% 73.9% 73.6% 60.3% 6																						~~
2.2.3 Percentage of scheduled trips delivered 98.5% 96.8% 97.1% 96.3% 97.1% 99.1% 99.1% 99.1% 99.5% 99.8% 99.5% 99.8% 99.5% 99.8% 99																						
22.4 Percentage of on-time departures from terminals																						
2.2.5 Running time performance Measure in development. 2.2.6 Percentage of on-time performance 85% 60.1% 59.0% 58.9% 57.0% 59.9% 58.7% 58.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.0% 58.7% 58.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.0% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9% 59.5% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 60.4% 60.3% 61.3% 60.4% 60.3% 61.3% 60.4% 60.3% 61.3% 60.4% 60.4% 60.3% 61.3% 60.4% 60.																						- ^~
22.6 Percentage of on-time performance*  85% 60.1% 59.0% 58.9% 57.0% 59.9% 58.7% 58.9% 59.5% 58.7% 58.2% 60.8% 62.2% 59.4% 60.4% 60.3% 61.3% 59.9%   22.7 Percentage of bus trips over capacity during AM peak (8:00a-8:59a, inbound) at max load points on the control of the contr				73.770	73.370	72.270	73.070	74.070	74.470	74.070	74.170	74.570	73.370	73.070	74.470	70.170	74.170	73.370	73.070	70.570	70.078	~~~
2.2.7 Percentage of bus trips over capacity during AM peak (8:00a-8:59a, inbound) at max load onlints.  2.2.7 Percentage of bus trips over capacity during AM peak (8:00a-8:59a, inbound) at max load onlints.  2.2.7 Percentage of bus trips over capacity during AM peak (8:00a-8:59a, inbound) at max load onlints.  2.2.7 Percentage of bus trips over capacity during PM peak (8:00a-8:59a, outbound) at max load onlints.  2.2.8 3.6% 2.8% 3.1% 4.8% 3.9% 3.6% 2.4% 3.3% 3.1% 4.2% 3.7% 4.7% 3.5% 3.6% 3.6% 3.6% 3.6% 3.6% 3.6% 3.6% 3.6				59.0%	58 9%	57.0%	59.9%	58.7%	58.9%	59.4%	58.9%	59.5%	58.7%	58.2%	60.8%	62.2%	59.4%	60.4%	60.3%	61 3%	59 9%	^-
DOINTS Percentage of bus trips over capacity during PM peak (5:00p-5:59p, outbound) at max load 7.1% 8.6% 8.3% 5.6% 4.2% 5.8% 5.1% 4.0% 4.0% 5.2% 6.0% 5.1% 4.2% 4.1% 2.6% 3.6% 4.2% 3.5% 3.4%		03/0																				12/~
	points																					

## STRATEGIC PLAN METRICS REPORT | May 2016



ID Metric	Target	FY12 Avg	FY13 Avg	FY14 Avg	FY15 Avg	FY16 Avg	Mar 2015	Apr 2015	May 2015	Jun 2015	Jul 2015	Aug 2015	Sep 2015	Oct 2015	Nov 2015	Dec 2015	Jan 2016	Feb 2016	Mar 2016	Apr 2016	Monthly Trend
Objective 2.2: Improve transit performance			-		-	_		•	-											•	
2.2.8 Mean distance between failure (Bus)		3,300	3.310	4.632	5,650	5,435	6.318	5,701	6.087	6,693	6.164	7,276	6.202	6.927	5,761	4.552	3.816	5.082	4.976		~~~
2.2.8 Mean distance between failure (Bus) 2.2.8 Mean distance between failure (LRV)		3,300	3,510	3,164	4.517	5,433	4.281	4,248	7.260	5,122	4.834	4,910	5,235	7.742	6.498	6.084	4,583	5,404	5,785		^ ~
2.2.8 Mean distance between failure (LRV)  2.2.8 Mean distance between failure (Historic)		2,055	2,179	2,045	1.797	1.869	2.331	1,788	1,432	1,383	1,748	1,629	1,523	3.822	2.147	1.508	1,781	1,892	1,848		/
2.2.8 Mean distance between failure (Historic)		2,033	3,835	4,734	5,200	4,412	4.173	6.156	4.530	25,684	7,769	10.658	22.541	22.432	6.842	2,721	2.043	2,498	2.754		$\sim \sim$
2.2.9 Percentage of scheduled service hours delivered		96.8%	97.0%	96.2%	97.7%	99.2%	99.1%	99.3%	99.5%	99.5%	99.7%	99.5%	99.7%	99.6%	99.6%	99.5%	99.2%	97.9%	98.4%	98.7%	=======================================
	Measure in	development	37.070	30.270	37.770	33.270	33.170	33.370	33.370	33.370	33.770	33.370	33.770	33.070	33.070	33.370	33.270	37.370	30.470	36.770	~
2.2.11 Ridership (rubber tire, average weekday)*	Wicasare III	490.514	495.311	504.162	486,109	489,250	481.938	481.362	484,944	466.267	466.100	489.500	508.100	510.400	481.100	462.400	485,300	511.100			$\neg \land \land$
2.2.11 Ridership (rubber tire, average weekday) 2.2.11 Ridership (faregate entries, average weekday)		70.423	72,948	73,522	73,932	68.634	66,395	73,230	73.163	72,733	71,959	68,303	67,954	69.078	65,573	63.005	64,840	71,264	71.884	72,110	~ ~
2.2.11 Ridership (laregate entries, average weekday) 2.2.12 Percentage of days that elevators are in full operation		93.6%	96.3%	94.4%	93.3%	93.3%	92.5%	89.4%	93.5%	95.8%	93.5%	92.7%	94.3%	94.6%	90.8%	93.5%	04,040	71,204	71,004	72,110	$\sim \sim$
2.2.13 Percentage of days that elevators are in full operation		94.2%	88.1%	93.8%	91.9%	89.5%	90.8%	90.6%	92.1%	93.2%	93.1%	90.6%	94.6%	90.1%	89.0%	80.1%					<u> </u>
Objective 2.3: Increase use of all non-private auto modes		34.270	00.170	33.070	31.370	03.570	30.070	30.070	32.170	33.270	33.170	30.070	34.070	30.170	05.070	00.170					`
2.3.1   Non-private auto mode share (all trips)	50%		50%	54%	F20/	54%															
2.3.1 Non-private auto mode snare (all trips) 2.3.2 Average daily bikeshare trips (Weekday)	50%		50%	885	52% 1.089	1.000	1.164	1.191	1.125	1.183	1.139	1.207	1.139	1.177	932	696	786	969	960		
	Moncure in	development		883	1,089	1,000	1,104	1,191	1,125	1,103	1,139	1,207	1,139	1,1//	932	090	/80	909	900		
Objective 2.4: Improve parking utilization and manage parking demand	ivieasure iii	development																			
2.4.1 Percentage of metered hours with no rate change in SFpark pilot areas		40.5%	52.2%	66.2%	60.3%	63.3%		60.3%					59.8%			66.8%					
2.4.2 Off-peak share of SFMTA garage entries (before 7:00a/after 9:59a)*		81.2%	81.3%	80.7%	80.9%	80.7%	79.8%	80.0%	81.6%	80.2%	80.9%	80.8%	79.2%	79.7%	81.9%	84.1%	81.0%	79.6%	79.2%	79.8%	^
2.4.2 Hourly share of SFMTA garage entries (vs. monthly & early bird)*		85.2%	85.3%	84.4%	85.9%	84.8%	84.9%	84.9%	86.0%	84.8%	84.6%	84.9%	84.0%	84.4%	85.9%	87.9%	85.1%	83.7%	83.5%	83.5%	$\sim$
2.4.3 # of secure on-street blovcle parking spaces*		03.270	03.370	04.470	6,500	04.070	04.570	04.570	00.070	04.070	04.070	04.570	04.070	04.470	03.370	07.570	03.170	03.770	03.370	03.370	
2.4.3 # of secure on-street bicycle parking spaces  2.4.3 # of secure off-street bicycle parking spaces (garage bicycle parking)*					120																
and the second s					120																
Goal 3: Improve the environment and quality of life in San Fr																					
Objective 3.1: Reduce the Agency's and the transportation system's resource	consumpt		. ,																		
3.1.1 SFMTA carbon footprint (metric tons CO2e)		49,811	46,272	45,244	43,499																
3.1.2 Percentage of SFMTA taxi fleet that is alternative fuel/zero emissions		94.0%	94.0%	98.0%	98.0%	98.0%															
3.1.3 Percentage biodiesel to diesel used by SFMTA (blend equivalent)			98.4%	91.2%	93.2%	94.3%															
3.1.4 Number of electric vehicle charging stations		33	63	63	63	63															
3.1.6 Agency electricity consumption (kWh)*		9,862,454	9,790,994	9,944,080	9,783,200	10,061,079	10,049,270	9,863,842	9,976,185	9,878,605	10,240,993	10,230,894	9,803,340	10,302,803	9,654,669	10,133,775					~~~
3.1.6 Agency gas consumption (therms)*		33,934	32,049	23,057	19,265	10,432	37,906	15,280	26,940	25,478	8,221	4,554	3,918	3,454	9,268	33,177					$\sim$
3.1.6 Agency water consumption (gallons)*		1,447,255	1,476,801	1,903,909	1,735,422	1,532,818	1,505,724	1,688,984	1,655,324	1,491,512	1,691,228	1,671,032	1,660,560	1,605,956	1,825,868	1,306,008	1,231,208	1,323,960	1,479,544		<b>\</b>
3.1.7 Agency waste diversion rate		36.4%	37.9%	37.1%	34.5%	35.1%	36.3%	32.3%	36.3%	33.8%	36.6%	34.8%	34.0%	35.2%	35.2%	35.7%	35.2%	33.3%	35.5%		~~~
Objective 3.2: Increase the transportation system's positive impact to the eco	nomv																				
3.2.1 Estimated economic impact of Muni service delays (Monthly \$M)			\$3.7	\$2.8	\$1.9	\$1.7	\$2.4	\$1.4	\$1.9	\$1.4	\$1.5	\$1.8	\$2.0	\$2.0	\$1.4	\$1.9	\$2.1	\$1.4	\$1.7	\$1.3	~~~
Objective 3.3: Allocate capital resources effectively			,	, -		,	,	,												,	
3.3.1 Percentage of all capital projects delivered on-budget by phase					65.6%	81.6%	74.1%	74.6%	68.8%	71.9%	78.7%	77.9%	75.6%	77.9%	74.7%	83.0%	98.1%	93.6%	95.0%	80.9%	
3.3.2 Percentage of all capital projects delivered on-time by phase*					59.2%	60.7%	54.5%	54.5%	51.2%	54.3%	57.4%	57.4%	57.4%	55.3%	55.4%	51.9%	30.170	33.070	33.070	00.570	~~
Objective 3.4: Deliver services efficiently					33.270	00.778	34.370	34.370	31.2/0	34.370	37.470	37.470	37.470	33.370	33.470	31.576					~ `
3.4.1 Average annual transit cost per revenue hour*	\$192	\$212.94	\$213.12	\$230.97	\$227.91																
3.4.2 Passengers per revenue hour for buses		70	70	74	69																
3.4.3 Cost per unlinked trip*		\$3.05	\$3.06	\$3.13	\$3.29																
3.4.5 Farebox recovery ratio		32.0%	33.7%	30.4%	29.5%			_	_												_
3.4.6 Average daily Transit Operator shortfall		37.3	35	43	25	8	9	7	5	4	2	4	2	5	4	7	8	16	17	12	
3.4.7 Number of individuals entering Transit Operator training per month		205	158	147	594	274	80	37	37	55	46	27	27	30		33	24	55		32	~~ ~
Objective 3.5: Reduce capital and operating structural deficits																					
3.5.1 Structural operating budget deficit	\$35M	\$70M	\$70M	\$35M								<u> </u>									
3.5.1 Structural capital budget deficit (SOGR)*	\$130M	\$260M	\$260M	\$260M								-							1		

## STRATEGIC PLAN METRICS REPORT | May 2016



ID Metric	Target	FY12 Avg	FY13 Avg	FY14 Avg	FY15 Avg	FY16 Avg	Mar 2015	Apr 2015	May 2015	Jun 2015	Jul 2015	Aug 2015	Sep 2015	Oct 2015	Nov 2015	Dec 2015	Jan 2016	Feb 2016	Mar 2016	Apr 2016	Monthly Trend
Goal 4: Create a workplace that delivers outstanding service																					
Objective 4.1: Improve internal communications																					
4.1.1 Employee rating: I have the Information and tools I need to do my job; scale of 1 (high) to 5 (low)	4.0		3.5	3.5	3.5																
4.1.1 Employee rating: I have access to information about Agency accomplishments, current events. issues and challenges: scale of 1 (high) to 5 (low)			3.4	3.5	3.6																
4.1.2 Percentage of employees that complete the survey			32.9%	29.6%	27.2%																
4.1.3 Employee rating: I have a clear understanding of my division's goals/objectives and how they contribute to Agency success.			3.5	3.5	3.6																
4.1.4 Employee rating: I have received feedback on my work in the last 30 days.			3.2	3.1	3.1																
4.1.5 Employee rating: I have noticed that communication between leadership and employees has improved.			2.9	3.0	3.0																
4.1.6 Employee rating: Discussions with my supervisor about my performance are worthwhile.			3.4	3.5	3.5																
Objective 4.2: Create a collaborative and innovative work environment																					
4.2.1 Employee rating: Overall employee satisfaction; scale of 1 (low) to 5 (high)	3.9		3.4	3.4	3.4																
4.2.2 Employee rating: My concerns, questions, and suggestions are welcomed and acted upon quickly and appropriately.			3.0	3.0	3.0																
4.2.3 Employee rating: I find ways to resolve conflicts by working collaboratively with others.			3.9	4.0	4.0																
4.2.4 Employee rating: I am encouraged to use innovative approaches to achieve goals.			3.4	3.4	3.3																
4.2.5 Employee rating: Employees in my work unit share job knowledge to solve problems efficiently/effectively			3.7	3.8	3.8																
4.2.6 Employee rating: I feel comfortable sharing my thoughts and opinions, even if they're different than others'.			3.6	3.7	3.6																
4.2.7 Employee rating: My work gives me a feeling of personal accomplishment.			3.7	3.8	3.7																
Objective 4.3: Improve employee accountability																					
4.3.1 Percentage of employees with performance plans prepared by start of fiscal year	100%		20.3%	62.5%	31.3%	59.1%															
4.3.1 Percentage of employees with annual appraisals based on their performance plans	100%		18.8%	62.5%	54.2%																
4.3.2 Percentage of strategic plan metrics reported			73.0%	93.2%	93.6%																
4.3.3 Unscheduled absence rate by employee group (Transit operators)		12.2%	8.6%	9.4%	7.7%	8.8%	7.7%	7.0%	6.5%	7.0%	7.6%	8.8%	7.2%	7.2%	8.0%	9.0%	8.7%	10.2%	11.0%	9.9%	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4.3.4 Employee rating: My manager holds me accountable to achieve my written objectives.			3.6	3.6																	
4.3.5 Employee commendations to 311*		127	112	104	104	136	118	105	120	146	133	126	123	132	99	159	142	141	169	140	<b>~~</b>
Objective 4.4: Improve relationships and partnerships with our stakeholders																					
4.4.1 Stakeholder rating: satisfaction with SFMTA management of transportation in San					2.9																
Francisco: scale of 1 (low) to 5 (high)												l	l				1	l			

## Notes

1.1.2 / 1.3.5 / 2.1.1 / 2.1.2 / 2.1.3 / 2.1.4 / 2.1.5 / 2.1.8 / 2.1.9 Results are based on a non-probability sample from opt-in SFMTA online panel surveys and have been weighted to reflect the geographic distribution of the San Francisco population.

- 1.1.3 Beginning with FY2015, includes all taxi, TNC, and black car service-related incidents reported to SFPD. Reporting for prior months includes "defrauding taxi driver", "operating taxi without a permit", and "overcharging taxi fare" incidents only.
- 1.1.4 / 1.3.4 / 4.3.5 Due to a previous calculation error that resulted in the over-reporting of 311 cases, some monthly values between May 2012 and Dec 2014 were re-calculated and revised in this document.
  - 1.2.2 Includes assaults and threats on operators.
  - .3.2 Injury collisions
  - 1.3.3 Previously reported figures for falls per 100,000 miles have been updated to account for an adjustment in reported number of falls.
  - 2.1.7 Due to a new automated reporting process that accurately reflects the current Transit Operator MOU-based performance standard for timeliness of complaint resolution, the reported percentage of Muni related 311 complaints resolved within 28 business days slightly differs from previously published figures.
  - 2.2.1 <1 min for headway of 5 min or less.
- 2.2.1 / 2.2.2 / 2.2.4 / 2.2.6 Effective April 2015, the Muni Rapid Network is defined as routes/lines J, K, L, M, N, 5R, 7R, 9R, 14R, 28R, and 38R. This report reflects the updated Rapid Network.
  - Note: due to a NextBus data syncing issue, data for J and N lines are not included in reporting for Saturday service from 7/11/15 through 7/25/15 and data for all LRV lines are not included in reporting for 7/31/15 and 8/11/15.
  - 2.2.1 / 2.2.2 / 2.2.6 Previously reported bunching and gap, and on-time performance results have been revised to correct for a prior data processing error.
    - 2.2.7 Due to a previous calculation error, monthly FY14 results were incorrectly reported in previous Metrics reports and have been corrected in this document.
    - 2.2.8 April 2015 and May 2015 Mean Distance Between Failure (MDBF) Cable Car figures have been updated to account for an adjustment in reported mileage.
    - 2.2.11 Due to a reporting error, previous Metrics reports stated average Saturday ridership for December 2014 instead of weekday. This document reports the correct weekday figure.
    - 2.4.1 Increase in percent of metered hours with no rate change indicates achievement of price point and parking availability goals. Note: sensor based rate adjustments were limited to SFpark pilot blocks with 50% or more parking sensor coverage through February 2014.

      Sensor Independent Rate Adjustments (SIRA) based on meter payment data started in June 2014 and include all SFpark pilot area blocks including those that fell below the 50% parking sensor threshold. These blocks have not approached their price point yet, which lowers the baseline for this metric. Moving forward, June 2014 will be considered the new baseline for SIRA.
    - 2.4.2 Shift in utilization from peak to off-peak indicates successful mitigation of congestion on city streets.
    - 2.4.2 / 2.4.3 Shift in utilization to hourly from early bird and monthly indicates garages are used more for short trips that benefit nearby businesses and less for commute trips by auto.
      - 2.4.3 Running total of SFMTA-installed facilities.
      - 3.1.6 Resource consumption data for facilities leased by the SFMTA is not reflected in the current reporting.
      - 3.2.1 Calculations are based on a model provided by the San Francisco Chief Economist's office and use the 2014 annual average hourly wage for San Francisco.
    - 3.3.1 / 3.3.2 Figures reflect estimate at completion-weighted % of projects on or under budget (including contingency) for all projects delivered by the SFMTA's Capital Projects & Construction division. Reported results currently exclude projects in the Sustainable Streets

      Division portfolio. Data forthcoming after measure methodology is revised.
    - 3.4.1 / 3.4.3 Figures are adjusted for inflation to reflect FY15 dollars.
      - 3.4.7 FY Total rather than FY Average.
      - 3.5.1 Operating and capital structural deficit figures are being recalculated and will be available by the end of the FY16.